



GSA prices effective October 7, 2024
(based on July 1, 2024, commercial price list)
Published March 2025

Motia® Sit-to-Stand Tables

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!®, a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture
FSC/PSC 7110/7125
Contract Number: GS-03F-036DA
UEI: Q2K3MSZ843D8
Contract Period: December 21, 2015—December 20, 2025

MillerKnoll, Inc.
855 East Main Avenue
Zeeland, Michigan 49464
(616) 654 3000 Phone
(616) 654 8278 Fax
www.HermanMiller.com/government

Business Size: Large

Contract Information

1a. Special Item Numbers (SIN)

SIN 33721

Furniture Systems, Computer Furniture, Filing and Storage, Tables and Accessories, Upholstered Seating and Multi-Purpose Seating, Project Management, Reconfiguration and Relocation Services, Design/Layout and Installation Services

SIN 33721P

Packaged Offices

SIN 337127

Modular Laboratory Furniture Systems

SIN 339113H

Healthcare Furniture

SIN OLM

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local MillerKnoll Inc. representative to discuss the appropriate use of this SIN.

SIN 532289

Leasing

Contact MillerKnoll Inc participating government dealer for current leasing information.

1b. Lowest Priced Model

SIN 33721:	BVP3.S	\$7.27
SIN 33127:	TW113	\$5.81
SIN 339113H:	CR900NR	\$483.80

1c. Service Rates

Project Management

Furniture Project Manager: \$64.75 per hour
Furniture Project Coordinator: \$49.00 per hour
Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Not to exceed \$55 per hour.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Not to exceed \$65 per hour.

Installation Services

Not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

2. Maximum Order

SIN 33721, 337127, NEW, OLM

\$250,000 net product value

SIN 33721P

\$250,000 net value

SIN 339113H

\$500,000 net product value

3. Minimum Order

\$100 net

4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

5. Point of Production

Zeeland, Ottawa County, Michigan

Spring Lake, Ottawa County, Michigan

Elland, Yorkshire, United Kingdom

Hildebran, Burke County, North Carolina, USA

6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 33721

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Office 1	73.8%
Action Office 2	73.8%
Aeron	64.5%
Ambit Workspace Solutions	74.3%
Asari Chair	53.7%
Aside	64.2%
Bay Work Pod	56.7%
C-Style Overhead Storage	73.8%
Canvas Office Landscape Channel	74.8%
Canvas Office Landscape Dock	74.8%
Canvas Metal Desk	74.8%
Canvas Office Landscape Metal Storage	74.8%
Canvas Office Landscape Private Office	74.8%
Canvas Office Landscape Wood Storage	74.8%
Canvas Office Landscape Vista	74.8%
Canvas Office Landscape Wall	74.8%
Caper	61.5%
Commend Nurses Station	73.3%
Cosm	61.7%
Eames® Aluminum Group	58.7%
Eames Conference & Dining Tables	73.6%
Easton Family	54.91%
Embody	59.7%
Energy Distribution Systems	73.8%
Ethospace System	73.8%
Everywhere™ Tables	73.8%
Exclave	61.7%

Contract Information

continued

Fuld	59.7%
Headway™ Tables	73.8%
Intent Solution	58.7%
Layout Studio®	60.7%
Lighting	73.8%
Lino	63.7%
Meridian Laterals	67.3%
Meridian Pedestals	64.2%
Meridian Towers	62.7%
Meridian Storage	62.7%
Mirra 2	61.7%
Motia Tables	73.8%
NaughtOne	50.0%
Nemschoff	54.91%
Nevi™ Tables	73.8%
Nevi Link	73.8%
OE1 Boundary	72.8%
OE1 Community Elements	61.7%
OE1 Micro Packs	73.8%
OE1 Storage	72.8%
OE1 Tables and Benching	73.8%
Overlay™	62.7%
Plex® Lounge Furniture	59.5%
Pronta Stacking Chair	57.7%
Public Office Landscape	61.7%
Renew™ Tables	73.8%
Renew Link	73.8%
Sayl	62.2%
Setu	59.7%
Swoop Lounge Furniture	60.7%
Thrive Portfolio	62.0%
Thrive Portfolio-CBS Products Extension	62.0%
Tu Lateral Files	74.3%
Tu Pedestals	73.8%
Tu Storage	74.3%
Tu Towers	74.3%
Tu Wood Cases	74.3%
Tu Wood Cubbies	74.3%
Tu Wood Credenzas	74.3%
Tu Wood Pedestals	74.3%
Tu Wood Towers	74.3%
Valor™ Family	54.91%
Verus	63.7%
Zeph	60.2%

Services

Please refer to section 19 for Terms and Conditions of Installation/ Reconfiguration and Relocation Services.

Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local MillerKnoll Inc. representative to discuss the available labor categories (listed below). The hourly rates listed are “Not To Exceed” or “NTE” values.

Furniture Project Manager: \$64.75 per hour
Furniture Project Coordinator: \$49.00 per hour
Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Design service will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$65 per hour.

Installation Services

Installation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 337127

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Lab	58.5%
Compass System	58.5%
Co/Struc System	58.5%
Healthcare Carts	18.0%
Mora System	58.5%
Bedside Cabinets	58.5%

SIN 33721P

Packaged Office Furniture - Maximum Order \$250,000 (net).

Includes packaged furniture solutions for customers needing to furnish an office.

SIN 339113H

Standard Lead Time, Single Order Net Purchase \$100 - 500,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Nemschoff Healthcare Furniture	54.91%

7. Quantity Discounts

Reference item #6.

8. Payment Terms

Net 30 days

9. Foreign Items

None

10. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact MillerKnoll Inc. or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

Contract Information

continued

11. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

12. Ordering Address

a. MillerKnoll Inc.

Government Customer Care 0161
855 East Main Avenue
Zeeland MI 49464.

b. For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.

13. Payment Address.

MillerKnoll Inc.
22764 Network Place
Chicago, IL 60673-1227

14. Warranty

MillerKnoll Inc. commercial warranty applies.

15. Export Packing Charge

Prices supplied on request.

16. Rental Maintenance and Repair Terms

Not applicable

17. Terms and Conditions of Installation/Reconfiguration and Relocation Services

* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

18. Terms and Conditions of Repair Parts

Not applicable

19. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

20. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/where-to-buy/contact-a-dealer/. Select your market by using the filter.

21. Preventive Maintenance

Not applicable

22a. Special Attributes.

2022

MillerKnoll earns its 15th consecutive perfect score in Human Rights Campaign Foundation's 2022 Corporate Equality Index.

2021

The OE1 Trolley and Micro Packs are both winners of the 2021 Archiproducts international design competition in the Office Category.

MillerKnoll is named to Michigan's Best and Brightest in Wellness List for 2021.

MillerKnoll is awarded Platinum Rating in CSR by EcoVadis.

OE1 is named winner of Wallpaper's "Most Futuristic Furniture" Category as part of their first-ever Smart Space Awards.

OE1 receives the Workplace category award from Fast Company's 2021 Innovation by Design Awards.

MillerKnoll is named to Fast Company's Annual List of the World's Most Innovative Companies for 2021.

MillerKnoll is recognized as a "Disclosure Leader" by the Chemical Footprint Project (CFP).

Contract Information

continued

MillerKnoll earns its 14th consecutive perfect score in Human Rights Campaign Foundation's 2021 Corporate Equality Index.

MillerKnoll is named to Newsweek's List of America's Most Responsible Companies 2021.

Great Lakes Women's Business Council awards MillerKnoll for "Excellence in Supplier Diversity" in the Best In Class category.

2020

Herman Miller is recognized with a 2020 FSC® Leadership Award for our commitment to responsible forestry management.

Herman Miller is named one of Investor's Business Daily Top 50 Best ESG (Environmental, Social, and Corporate Governance) Companies.

Working Mother names Herman Miller as one of the Best Companies for Dads.

Herman Miller is awarded Platinum Rating in CSR by EcoVadis.

Herman Miller is named Diversity Inc 2020 Noteworthy Company for recruitment efforts, employee development opportunities, leadership accountability, and supplier diversity.

Cosm, by Studio 7.5, receives an iF Gold Award in the Office and Industry category at the iF World Design Awards 2020.

Herman Miller earns its 13th consecutive perfect score in Human Rights Campaign Foundation's 2020 Corporate Equality Index.

2019

Mora System casework, designed by Collective Ten for Herman Miller, receives silver in the Industrial and Life Science Design/ Medical Furniture category at the European Product Design Awards.

Mora System casework is awarded GOOD DESIGN Award 2019, selected for design excellence and innovation.

National Minority Supplier Diversity Council (NMSDC) names Herman Miller as the 2019 Class 1 Corporation of the Year for leadership in supplier diversity.

TIME Magazine names Cosm to its list of 100 Best Inventions of 2019.

Herman Miller is named #12 Overall and #2 in Manufacturing on Investor's Business Daily Best ESG (Environmental, Social, Governance) Companies.

Herman Miller is recognized as a silver level Certified Veteran-Friendly Employer by the Michigan Veterans Affairs Agency for a commitment to veteran hiring, retention, and development.

For the second year in a row, Herman Miller receives a Gold Medal from EcoVadis in recognition of Corporate Social Responsibility achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement.

Herman Miller is named "Frontrunner" in Chemical Footprint Project by Clean Production Action for our chemical management policies and practices.

Herman Miller receives International Interior Design Association and Contract's best showroom design award in the "Large Showroom" category at NeoCon.

Herman Miller earns its 12th consecutive perfect score in Human Rights Campaign Foundation's 2019 Corporate Equality Index.

Cosm, designed by Studio 7.5 for Herman Miller, receives a Red Dot Best of the Best Product Design Award in the "Office Chairs" category.

Lino, designed by Sam Hecht and Kim Colin for Herman Miller, receives an iF Design Award in the Product Design category.

2018

Overlay, designed by Birsell+Seck, receives Interior Design Best of Year Award in the Partitions and Wall Systems category.

Herman Miller receives the "Corporation of the Year" in consumer products award from the Michigan Minority Supplier Development Council.

Herman Miller achieves the Advanced Excellence in Supplier Diversity Award from the Great Lakes Women's Business Council for doing business with women-owned suppliers.

Great Lakes Women's Business Council awards Herman Miller for "Excellence in Supplier Diversity" in the Advanced category.

WEConnect awards Herman Miller an Honorable Mention for global supplier diversity initiatives.

As one of the top-scoring companies in the industry for the 14th consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2018 Sustainability Yearbook and receives the Silver Class distinction for excellent sustainability performance—economic, environmental, and social.

For the 11th consecutive year, Herman Miller receives a perfect score on the Human Rights Campaign Foundation's Corporate Equality Index and is designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly LGBT-related policies and practices.

Contract Information

continued

Herman Miller receives Gold Medal from EcoVadis in recognition of Corporate Social Sustainability achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement. EcoVadis operates the first web-based collaborative platform that allows companies to assess the environmental and social performance of their global suppliers.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The Cosm Chair wins Mix Interiors "Product of the Year—Task" award.

2017

Herman Miller receives "Rising Star Award" from the Michigan Veterans Affairs Agency (MVAA) for exhibiting new and novel approaches to veteran recruitment and hiring.

Herman Miller is named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller receives a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award. SEAL Award winners are determined by a holistic methodology measuring applicants against established benchmarks that demonstrate impact and progress toward creating a healthy planet and a sustainable future.

Herman Miller earns the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller is named one of the Best and Brightest in Wellness for the 5th year in a row.

Herman Miller earns its 10th consecutive perfect score in Human Rights Campaign Foundation's 2017 Corporate Equality Index.

As one of the top-scoring companies in the industry for the 13th consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and receives the Bronze Class distinction for excellent economic, environmental, and social sustainability performance. The selection criteria for inclusion in the Yearbook becomes more rigorous each year, and only the top 15 percent of companies within each industry are selected.

Herman Miller once again earns the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience. Herman Miller is the only furniture manufacturer among the 160 companies across the U.S. and Canada honored with the award.

Herman Miller's Mora wins Nightingale Silver Award in the "Furniture Collections" category at the 2017 Healthcare Design Conference.

2016

Herman Miller earns 9th consecutive perfect score in Human Rights Campaign Foundation's Corporate Equality Index and is designated as Best Place to Work for LGBT equality.

Herman Miller is recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC) for being an outstanding partner in support of the growth of WMEAC's programs. WMEAC's award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (5th consecutive year) recognizes Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability. This award celebrates those companies that are making their businesses more sustainable, the lives of their employees better, and the community, both locally and globally, more responsible as a whole.

Herman Miller is recognized by the Michigan Minority Supplier Development Council (MMSDC) as a "Corporation of the Year". Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC.

Herman Miller is recognized with "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council.

Herman Miller is recognized as a 2016 Healthiest 100 Workplace in America, ranking 49th in the country for our commitment to health and exceptional corporate wellness programming.

Herman Miller receives the Best and Brightest in Wellness Award for the 4th year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

The Michigan Occupational Safety and Health Administration renews Herman Miller's "Star" status, the highest workplace safety and health designation, for the Hickory facility in Spring Lake.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Herman Miller is named a 2016 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller is selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for the 12th consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

Contract Information

continued

22b. Section 508 Compliance

Not applicable

23. Unique Entity ID: Q2K3MSZ843D8

24. Registered in System for Award Management (www.SAM.gov) Database

25. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

26. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Returns and restocking policy is not applicable to Options products, products under SIN 337127, 339113H, NaughtOne and Nemschoff products.

MillerKnoll Inc. Miscellaneous Information:

Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636

Data Universal Numbering System (DUNS) 00-601-2801

Commercial Entity Code (CEC): 00702290J

Introduction	page 2
Motia® Sit-to-Stand Tables	3
Adjustable-Height Tables	5
Sit-to-Stand Table Bases	23
Ambit™ Shroud	31
Ambit Storage	37
Power and Data Support	39
Screens	46
Storage	61
Accessories	67
Indices	69
By Name	69
By Number	71
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective October 7, 2024, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.


All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Adjustable Height Table

Sit to Stand Table Bases

Ambit™ Shrouds

Ambit™ Storage


Power and Data Support

Screens

Storage

Accessories





Product Information

Description

This rectangular height-adjustable table has a C-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. Multiple height adjustment options are available with several switch types or a no-switch option for use with Live Platform™ smart paddle kit. Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width minus 8".

Tables wider than 54" include stiffener, located toward back of table for increased leg clearance.

See Motia® Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire managers.


For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Specification Information

Step 1.

DV6AC A

Step 2. Edge

S. squared-edge A

Step 3. Depth

24 24" deep (23" surface size) A

30 30" deep (29" surface size) A

Step 4. Width

48 48" wide (46" surface size) A

54 54" wide (52" surface size) A

60 60" wide (58" surface size) A

66 66" wide (64" surface size) A

72 72" wide (70" surface size) A

Step 5. Surface Material

J thermally-fused laminate top/thermoplastic edge with MicrobeCare™ A

K thermally-fused laminate top/universal edge with MicrobeCare™ A

M thermally-fused laminate top/thermoplastic edge A

T thermally-fused laminate top/universal edge A

L high-pressure laminate top/thermoplastic edge A

U high-pressure laminate/universal edge A

A high-pressure laminate top/thermoplastic edge with MicrobeCare™ A

C high-pressure laminate top/universal edge with MicrobeCare™ A

Step 6. Top Thickness

04 1 1/4" thick A

Step 7. Mechanism

E electric standard range A

D electric extended range A

Step 8. Leg Location

1 legs outbound (no surface mounted storage) A

Prices for Steps 1-8.

		J04E1	J04D1	K04E1	K04D1	M04E1	M04D1
DV6ACS.	24 48	\$2674	2931	2635	2889	2579	2837
	54	\$2767	3014	2726	2970	2670	2918
	60	\$2824	3068	2782	3024	2727	2970
	66	\$2904	3141	2862	3095	2808	3046
	72	\$2984	3211	2941	3165	2888	3116

Rectangular Table with C-Foot

continued

Motia® Adjustable Height Table

	30	48	\$2832	3088	2790	3043	2735 2992
		54	\$2942	3193	2899	3147	2845 3098
		60	\$3011	3253	2967	3206	2915 3156
		66	\$3116	3353	3070	3304	3020 3256
		72	\$3217	3445	3170	3394	3120 3348
			T04E1	T04D1	L04E1	L04D1	U04E1 U04D1
DV6ACS.	24	48	\$2579	2837	2618	2880	2618 2880
		54	\$2670	2918	2711	2963	2711 2963
		60	\$2727	2970	2769	3015	2769 3015
		66	\$2808	3046	2850	3092	2850 3092
		72	\$2888	3116	2932	3162	2932 3162
	30	48	\$2735	2992	2777	3038	2777 3038
		54	\$2845	3098	2888	3145	2888 3145
		60	\$2915	3156	2960	3204	2960 3204
		66	\$3020	3256	3066	3306	3066 3306
		72	\$3120	3348	3168	3399	3168 3399
			A04E1	A04D1	C04E1	C04D1	
DV6ACS.	24	48	\$2715	2976	2675	2933	
		54	\$2809	3059	2768	3015	
		60	\$2867	3115	2825	3070	
		66	\$2948	3189	2905	3142	
		72	\$3030	3260	2986	3212	
	30	48	\$2875	3135	2833	3089	
		54	\$2987	3242	2943	3195	
		60	\$3056	3303	3012	3255	
		66	\$3162	3404	3117	3354	
		72	\$3266	3497	3218	3446	
Step 9. Switch Option							
STS	simple up/down touch switch <input type="checkbox"/>						+\$0
SUD	simple up down - paddle switch <input type="checkbox"/>						+\$50
SRM	digital read out with memory <input type="checkbox"/>						+\$160

Step 10. Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

125	natural maple (CP)	<input type="checkbox"/>	+\$0
126	natural cherry (CP)	<input type="checkbox"/>	+\$0
127	walnut (CP)	<input type="checkbox"/>	+\$0
139	light ash (CP)	<input type="checkbox"/>	+\$0
140	warm ash (CP)	<input type="checkbox"/>	+\$0
76	light brown walnut	<input type="checkbox"/>	+\$0
8Q	folkstone grey (CP)	<input type="checkbox"/>	+\$0
91	white (CP)	<input type="checkbox"/>	+\$0
98	studio white (CP)	<input type="checkbox"/>	+\$0
CL	cool grey neutral	<input type="checkbox"/>	+\$0
HF	inner tone light	<input type="checkbox"/>	+\$0
HP	light anigre	<input type="checkbox"/>	+\$0
LBA	clear on ash (CP)	<input type="checkbox"/>	+\$0
LBB	oak on ash (CP)	<input type="checkbox"/>	+\$0
LBC	walnut on ash (CP)	<input type="checkbox"/>	+\$0
LBF	neutral twill	<input type="checkbox"/>	+\$0
LBJ	graphite twill	<input type="checkbox"/>	+\$0
LBQ	white twill	<input type="checkbox"/>	+\$0
LBR	phantom ecru	<input type="checkbox"/>	+\$0
LBS	phantom cocoa	<input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP)	<input type="checkbox"/>	+\$0
LBV	warm grey teak	<input type="checkbox"/>	+\$0
LT	light tone	<input type="checkbox"/>	+\$0
LU	soft white	<input type="checkbox"/>	+\$0
UBK	ultra black (CP)	<input type="checkbox"/>	+\$0
WL	warm stone (CP)	<input type="checkbox"/>	+\$0
WN	warm grey neutral	<input type="checkbox"/>	+\$0

Rectangular Table with C-Foot

continued

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0

Step 11. Edge Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

PLY	plywood edge <input type="checkbox"/>	+\$50
-----	---------------------------------------	-------

Rectangular Table with C-Foot

continued

Step 12. Base Finish

Metallic Paint

611	beige mist metallic (CP) <input type="checkbox"/>	+\$0
613	silver (CP) <input type="checkbox"/>	+\$0
SNA	satin aluminum <input type="checkbox"/>	+\$30
SNB	satin bronze <input type="checkbox"/>	+\$30
SNC	satin carbon <input type="checkbox"/>	+\$30

Sand Texture Paint

UBK	ultra black (CP) <input type="checkbox"/>	+\$0
BK	black <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0

Smooth Paint

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 13. Cable Trough

For 24" deep (23" surface size) (24) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72)

2	hinged cable trough for 24" deep surface <input type="checkbox"/>	+\$275
N	no cable trough <input type="checkbox"/>	+\$0

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72)


3	hinged cable trough for 30" deep surface <input type="checkbox"/>	+\$275
N	no cable trough <input type="checkbox"/>	+\$0

Step 14. Power Access Cutout

NC	no cutout <input type="checkbox"/>	+\$0
-----------	------------------------------------	------

Step 15. Glides

57	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------



Product Information

Description

This rectangular height-adjustable table has a T-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. Multiple height adjustment options come with a simple up/down touch switch, simple up/down paddle switch, digital readout with memory, or with no switch to accommodate adding Live Platform™ to the table. Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs specified outbound (1) are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width minus 8".

Tables wider than 54" include stiffener, located toward back of table for increased leg clearance.

When specifying cable trough option (2 or 3), trough finish will match table base finish.

When specifying a power access cutout (RC, LC, CC), order Logic mini unit (Y1414.) and grommet (Y1412.) separately.

See Motia® Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire managers.


For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Rectangular Table with T-Foot

continued

Specification Information		
Step 1.		
DV6AT		
Step 2. Edge		
S.	squared-edge	
Step 3. Depth		
24	24" deep (23" surface size)	A
30	30" deep (29" surface size)	
Step 4. Width		
For 30" deep (29" surface size) (30)		
48	48" wide (46" surface size)	A
54	54" wide (52" surface size)	A
60	60" wide (58" surface size)	
66	66" wide (64" surface size)	A
72	72" wide (70" surface size)	
For 24" deep (23" surface size) (24)		
48	48" wide (46" surface size)	A
54	54" wide (52" surface size)	A
60	60" wide (58" surface size)	A
66	66" wide (64" surface size)	A
72	72" wide (70" surface size)	A
Step 5. Surface Material		
For squared-edge (S.)		
A	high-pressure laminate top/thermoplastic edge with MicrobeCare™ A	
C	high-pressure laminate top/universal edge with MicrobeCare™ A	
L	high-pressure laminate top/thermoplastic edge	
U	high-pressure laminate/universal edge A	
J	thermally-fused laminate top/thermoplastic edge with MicrobeCare™ A	
K	thermally-fused laminate top/universal edge with MicrobeCare™ A	
M	thermally-fused laminate top/thermoplastic edge	
T	thermally-fused laminate top/universal edge A	
Step 6. Top Thickness		
04	1¼" thick	
Step 7. Mechanism		
E	electric standard range	
D	electric extended range A	

Step 8. Leg Location							
1	legs outbound (no surface mounted storage)						
Prices for Steps 1-8.							
		A04E1	A04D1	C04E1	C04D1	L04E1	L04D1
DV6ATS.	24 48	\$2715	2976	2675	2933	2618	2880
	54	\$2809	3059	2768	3015	2711	2963
	60	\$2867	3115	2825	3070	2769	3015
	66	\$2948	3189	2905	3142	2850	3092
	72	\$3030	3260	2986	3212	2932	3162
	30 48	\$2875	3135	2833	3089	2777	3038
	54	\$2987	3242	2943	3195	2888	3145
	60	\$3056	3303	3012	3255	2960	3204
	66	\$3162	3404	3117	3354	3066	3306
	72	\$3266	3497	3218	3446	3168	3399
		U04E1	U04D1	J04E1	J04D1	K04E1	K04D1
DV6ATS.	24 48	\$2593	2852	2594	2845	2594	2845
	54	\$2684	2934	2684	2924	2684	2924
	60	\$2741	2986	2739	2977	2739	2977
	66	\$2823	3063	2818	3047	2818	3047
	72	\$2903	3132	2895	3116	2895	3116
	30 48	\$2749	3008	2747	2997	2747	2997
	54	\$2861	3115	2854	3098	2854	3098
	60	\$2930	3173	2921	3156	2921	3156
	66	\$3036	3274	3023	3253	3023	3253
	72	\$3137	3366	3121	3343	3121	3343
				M04E1	M04D1	T04E1	T04D1
DV6ATS.	24 48			\$2503	2752	2503	2752
	54			\$2590	2832	2590	2832
	60			\$2645	2881	2645	2881
	66			\$2724	2955	2724	2955
	72			\$2802	3023	2802	3023
	30 48			\$2654	2903	2654	2903
	54			\$2761	3006	2761	3006
	60			\$2828	3062	2828	3062
	66			\$2930	3159	2930	3159
	72			\$3028	3248	3028	3248
Step 9. Switch Option							
STS	simple up/down touch switch						+\$0
SUD	simple up down - paddle switch A						+\$50
SRM	digital read out with memory A						+\$160
SMT	no switch - LO100 A						+\$0

Rectangular Table with T-Foot

continued

Step 10. Top Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LT	light tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0

Motia® Adjustable Height Table

Rectangular Table with T-Foot

continued

Step 11. Edge Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut [A]	+\$0
8Q	folkstone grey (CP) [A]	+\$0
91	white (CP) [A]	+\$0
98	studio white (CP) [A]	+\$0
CL	cool grey neutral [A]	+\$0
HF	inner tone light [A]	+\$0
HP	light anigre [A]	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru [A]	+\$0
LBS	phantom cocoa [A]	+\$0
LBU	medium matte walnut (CP) [A]	+\$0
LBV	warm grey teak [A]	+\$0
LBB	oak on ash (CP) [A]	+\$0
LBC	walnut on ash (CP) [A]	+\$0
LBF	neutral twill [A]	+\$0
LBJ	graphite twill [A]	+\$0
LBQ	white twill [A]	+\$0
LU	soft white [A]	+\$0
WL	warm stone (CP) [A]	+\$0
WN	warm grey neutral [A]	+\$0

For high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate/universal edge (U), thermally-fused laminate top/universal edge with MicrobeCare™ (K), or thermally-fused laminate top/universal edge (T)

PLY	plywood edge	+\$50
-----	--------------	-------

Step 12. Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black [A]	+\$0
DB3	glacier [A]	+\$25
DN2	nightfall [A]	+\$25
DR1	canyon [A]	+\$25
G1	graphite (CP)	+\$0
OLF	olive [A]	+\$25

Smooth Paint

8Q	folkstone grey (CP) [A]	+\$0
91	white (CP) [A]	+\$0
98	studio white (CP) [A]	+\$0
WL	warm stone (CP) [A]	+\$0
WN	warm grey neutral [A]	+\$0

Step 13. Cable Trough

For 24" deep (23" surface size) (24)

2	hinged cable trough for 24" deep surface [A]	+\$275
N	no cable trough [A]	+\$0

For 30" deep (29" surface size) (30)

3	hinged cable trough for 30" deep surface [A]	+\$275
N	no cable trough	+\$0


Step 14. Power Access Cutout

NC	no cutout	+\$0
RC	right cutout for Logic Mini - Y1414 and Y1412.1 [A]	+\$55
LC	left cutout for Logic Mini - Y1414 and Y1412.1 [A]	+\$55
CC	center cutout for Logic Mini - Y1414 and Y1412.1 [A]	+\$55

Step 15. Glides

57	glides	+\$0
----	--------	------

Extended Corner Table with C-Foot DV6ECS



Product Information

Description

This height-adjustable 90° extended corner table has a C-leg configuration and laminate top with square thermoplastic edge. Multiple height adjustment options come with a simple up/down touch or paddle switch, a digital readout with memory, or a no-switch option for use with Live Platform™ smart paddle kit. Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.



Knee clearance is equal to nominal top width minus 8".

Tables wider than 54" include stiffener, located toward back of table for increased leg clearance.

See Motia® Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire managers.

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Dimensions



Specification Information

Step 1.

DV6EC ☐

Step 2. Edge

S. squared-edge ☐

Step 3. Depth

2424 24" deep left x 24" deep right (23" surface size) ☐

2430 24" deep left x 30" deep right (23" x 29" surface size) ☐

3024 30" deep left x 24" deep right (29" x 23" surface size) ☐

3030 30" deep left x 30" deep right (29" surface size) ☐

Step 4. Back Corner Cut

B back corner cut ☐

N no back corner cut ☐

Step 5. Width

4260 42" wide left x 60" wide right (40" x 58" surface size) ☐

4266 42" wide left x 66" wide right (40" x 64" surface size) ☐

4272 42" wide left x 72" wide right (40" x 70" surface size) ☐

4860 48" wide left x 60" wide right (46" x 58" surface size) ☐

4866 48" wide left x 66" wide right (46" x 64" surface size) ☐

4872 48" wide left x 72" wide right (46" x 70" surface size) ☐

5454 54" wide left x 54" wide right (52" x 52" surface size) ☐

6042 60" wide left x 42" wide right (58" x 40" surface size) ☐

6048 60" wide left x 48" wide right (58" x 46" surface size) ☐

6060 60" wide left x 60" wide right (58" x 58" surface size) ☐

6642 66" wide left x 42" wide right (64" x 40" surface size) ☐

6648 66" wide left x 48" wide right (64" x 46" surface size) ☐

7242 72" wide left x 42" wide right (70" x 40" surface size) ☐

7248 72" wide left x 48" wide right (70" x 46" surface size) ☐

Step 6. Surface Material

L high-pressure laminate top/thermoplastic edge ☐

M thermally-fused laminate top/thermoplastic edge ☐

Step 7. Mechanism

E electric standard range ☐

D electric extended range ☐

Prices for Steps 1-7.

			4260LE	4260LD	4260ME	4260MD	4266LE	4266LD
DV6ECS.	2424	B	\$4855	5345	4641	5111	4919	5411
		N	\$4855	5345	4641	5111	4919	5411
	2430	B	\$4985	5475	4766	5235	5049	5540
		N	\$4985	5475	4766	5235	5049	5540

Extended Corner Table with C-Foot

continued

Motia® Adjustable Height Table

			3024	B	\$4985	5475	4766	5235	5049	5540
				N	\$4985	5475	4766	5235	5049	5540
			3030	B	\$5038	5659	4817	5412	5103	5725
				N	\$5038	5659	4817	5412	5103	5725
					4266ME	4266MD	4272LE	4272LD	4272ME	4272MD
DV6ECS.	2424	B			\$4704	5173	4936	5488	4721	5247
		N			\$4704	5173	4936	5488	4721	5247
	2430	B			\$4828	5296	5067	5618	4844	5372
		N			\$4828	5296	5067	5618	4844	5372
	3024	B			\$4828	5296	5067	5618	4844	5372
		N			\$4828	5296	5067	5618	4844	5372
	3030	B			\$4879	5474	5180	5810	4953	5556
		N			\$4879	5474	5180	5810	4953	5556
					4860LE	4860LD	4860ME	4860MD	4866LE	4866LD
DV6ECS.	2424	B			\$5082	5633	4859	5386	5146	5697
		N			\$5082	5633	4859	5386	5146	5697
	2430	B			\$5212	5762	4983	5510	5276	5827
		N			\$5212	5762	4983	5510	5276	5827
	3024	B			\$5212	5762	4983	5510	5276	5827
		N			\$5212	5762	4983	5510	5276	5827
	3030	B			\$5322	5965	5088	5703	5386	6031
		N			\$5322	5965	5088	5703	5386	6031
					4866ME	4866MD	4872LE	4872LD	4872ME	4872MD
DV6ECS.	2424	B			\$4921	5447	5204	5762	4975	5510
		N			\$4921	5447	5204	5762	4975	5510
	2430	B			\$5045	5572	5334	5892	5099	5633
		N			\$5045	5572	5334	5892	5099	5633
	3024	B			\$5045	5572	5334	5892	5099	5633
		N			\$5045	5572	5334	5892	5099	5633
	3030	B			\$5150	5765	5451	6125	5213	5856
		N			\$5150	5765	5451	6125	5213	5856
					5454LE	5454LD	5454ME	5454MD	6042LE	6042LD
DV6ECS.	2424	B			\$5197	5267	4969	5035	4855	5345
		N			\$5197	5267	4969	5035	4855	5345
	2430	B			\$5327	5397	5092	5160	4985	5475
		N			\$5327	5397	5092	5160	4985	5475
	3024	B			\$5327	5397	5092	5160	4985	5475
		N			\$5327	5397	5092	5160	4985	5475
	3030	B			\$5670	5934	5421	5673	5038	5659
		N			\$5670	5934	5421	5673	5038	5659

					6042ME	6042MD	6048LE	6048LD	6048ME	6048MD
DV6ECS.	2424	B			\$4641	5111	5082	5633	4859	5386
		N			\$4641	5111	5082	5633	4859	5386
	2430	B			\$4766	5235	5212	5762	4983	5510
		N			\$4766	5235	5212	5762	4983	5510
	3024	B			\$4766	5235	5212	5762	4983	5510
		N			\$4766	5235	5212	5762	4983	5510
	3030	B			\$4817	5412	5322	5965	5088	5703
		N			\$4817	5412	5322	5965	5088	5703
					6060LE	6060LD	6060ME	6060MD	6642LE	6642LD
DV6ECS.	2424	B			\$5337	5762	5103	5510	4919	5411
		N			\$5337	5762	5103	5510	4919	5411
	2430	B			\$5467	5892	5227	5633	5049	5540
		N			\$5467	5892	5227	5633	5049	5540
	3024	B			\$5467	5892	5227	5633	5049	5540
		N			\$5467	5892	5227	5633	5049	5540
	3030	B			\$5827	6096	5572	5828	5103	5725
		N			\$5827	6096	5572	5828	5103	5725
					6642ME	6642MD	6648LE	6648LD	6648ME	6648MD
DV6ECS.	2424	B			\$4704	5173	5146	5697	4921	5447
		N			\$4704	5173	5146	5697	4921	5447
	2430	B			\$4828	5296	5276	5827	5045	5572
		N			\$4828	5296	5276	5827	5045	5572
	3024	B			\$4828	5296	5276	5827	5045	5572
		N			\$4828	5296	5276	5827	5045	5572
	3030	B			\$4879	5474	5386	6031	5150	5765
		N			\$4879	5474	5386	6031	5150	5765
					7242LE	7242LD	7242ME	7242MD	7248LE	7248LD
DV6ECS.	2424	B			\$4936	5488	4721	5247	5204	5762
		N			\$4936	5488	4721	5247	5204	5762
	2430	B			\$5067	5618	4844	5372	5334	5892
		N			\$5067	5618	4844	5372	5334	5892
	3024	B			\$5067	5618	4844	5372	5334	5892
		N			\$5067	5618	4844	5372	5334	5892
	3030	B			\$5180	5810	4953	5556	5451	6125
		N			\$5180	5810	4953	5556	5451	6125
									7248ME	7248MD
DV6ECS.	2424	B							\$4975	5510
		N							\$4975	5510
	2430	B							\$5099	5633
		N							\$5099	5633
	3024	B							\$5099	5633
		N							\$5099	5633

Extended Corner Table with C-Foot

continued

3030 B	\$5213	5856
N	\$5213	5856

Step 8. Switch Option

SRM	digital read out with memory <input type="checkbox"/>	+\$160
STS	simple up/down touch switch <input type="checkbox"/>	+\$0
SUD	simple up down - paddle switch <input type="checkbox"/>	+\$50

Step 9. Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LT	light tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0

Step 10. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Motia® Adjustable Height Table

Extended Corner Table with C-Foot

continued

Motia® Adjustable Height Table

Step 11. Grain Direction

For back corner cut (B) with 60" wide left x 60" wide right (58" x 58" surface size) (6060) with high-pressure laminate top/thermoplastic edge (L)

D	grain runs diagonally	A	+\$0
L	grain runs with user's left side	A	+\$0
R	grain runs with user's right side	A	+\$0

For back corner cut (B) with 60" wide left x 60" wide right (58" x 58" surface size) (6060) with thermally-fused laminate top/thermoplastic edge (M)

L	grain runs with user's left side	A	+\$0
R	grain runs with user's right side	A	+\$0

For no back corner cut (N) with 60" wide left x 60" wide right (58" x 58" surface size) (6060) with high-pressure laminate top/thermoplastic edge (L), or thermally-fused laminate top/thermoplastic edge (M)

L	grain runs with user's left side	A	+\$0
R	grain runs with user's right side	A	+\$0

For back corner cut (B) or no back corner cut (N) with 54" wide left x 54" wide right (52" x 52" surface size) (5454) with high-pressure laminate top/thermoplastic edge (L)

D	grain runs diagonally	A	+\$0
L	grain runs with user's left side	A	+\$0
R	grain runs with user's right side	A	+\$0

For back corner cut (B) or no back corner cut (N) with 54" wide left x 54" wide right (52" x 52" surface size) (5454) with thermally-fused laminate top/thermoplastic edge (M)

L	grain runs with user's left side	A	+\$0
R	grain runs with user's right side	A	+\$0

For back corner cut (B) or no back corner cut (N) with 42" wide left x 60" wide right (40" x 58" surface size) (4260), or 48" wide left x 60" wide right (46" x 58" surface size) (4860), or 60" wide left x 42" wide right (58" x 40" surface size) (6042), or 60" wide left x 48" wide right (58" x 46" surface size) (6048) with high-pressure laminate top/thermoplastic edge (L), or thermally-fused laminate top/thermoplastic edge (M)

L	grain runs with user's left side	A	+\$0
R	grain runs with user's right side	A	+\$0

For back corner cut (B) or no back corner cut (N) with 42" wide left x 66" wide right (40" x 64" surface size) (4266), 42" wide left x 72" wide right (40" x 70" surface size) (4272), 48" wide left x 66" wide right (46" x 64" surface size) (4866), 48" wide left x 72" wide right (46" x 70" surface size) (4872), 66" wide left x 42" wide right (64" x 40" surface size) (6642), or 66" wide left x 48" wide right (64" x 46" surface size) (6648), or 72" wide left x 42" wide right (70" x 40" surface size) (7242), or 72" wide left x 48" wide right (70" x 46" surface size) (7248) with high-pressure laminate top/thermoplastic edge (L), or thermally-fused laminate top/thermoplastic edge (M)

S	grain runs with the longer side of the table	A	+\$0
---	--	---	------

Step 12. Base Finish

Metallic Paint

611	beige mist metallic (CP)	A	+\$0
613	silver (CP)	A	+\$0
SNA	satin aluminum	A	+\$30
SNB	satin bronze	A	+\$30
SNC	satin carbon	A	+\$30

Sand Texture Paint

UBK	ultra black (CP)	A	+\$0
BK	black	A	+\$0
DB3	glacier	A	+\$25
DN2	nightfall	A	+\$25
DR1	canyon	A	+\$25
G1	graphite (CP)	A	+\$0
OLF	olive	A	+\$25

Smooth Paint

8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0


Step 13. Power Access Cutout

NC	no cutout	A	+\$0
----	-----------	---	------

Step 14. Glides

57	glides	A	+\$0
----	--------	---	------

Motia® Vista™ Rectangular Table with DV6GTS T-Foot



Product Information

Description

This rectangular height adjustable table has a T-leg configuration and laminate top with square thermoplastic edge, laminate top with thermoplastic backed plywood edge or veneer top and edge. Multiple height adjustment options come with a simple up/down touch switch, simple up/down paddle switch or with no switch to accommodate adding Live Platform™ to the table. Glides have 1/2" leveling range. Work surface stiffener included for surfaces wider than 54". Shipped knocked down. Product is UL Listed.

Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced by 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

When no under-surface mounted storage (L2SCF., L2SDF.) is used, specify legs outbound (1) location.

To use under-surface mounted storage (L2SCF., L2SDF.) on both ends of the surface, specify legs inbound for under surface storage on both ends (2) location.

To use under-surface mounted storage (L2SCF., L2SDF.) on the right- or left-hand end of the surface, specify legs inbound for under surface storage on left or right end (3) location. This will make the table handed. Surface will come with inbound leg holes; the outbound leg holes will need to be field drilled.

When specifying cable trough (2, 3), trough finish will match table base finish.

When specifying a power access cutout (RC, LC, CC), Logic Mini unit (Y1414.) and grommet (Y1412.) must be ordered separately.

When specifying a 24"D×54"W table with legs inbound for under surface storage on both ends (2) option, the hinged cable trough option is not available. It is recommended to use the (Y1200.48N) cable trough, ordered separately.

If a stiffener is desired for surface widths less than or equal to 54", order work surface stiffener (FV696.) separately.

Order the following optional products separately:

- Vista modesty + privacy screen-double sided, height adjustable table (Y1130.)
- Vista modesty screen-double sided, height adjustable table (Y1131.)
- Suspended cubby (L2SCF.)
- Suspended drawer (L2SDF.)

For additional planning information, see planning guide.


For additional product options, see Vary Easy Program in appendices.

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Motia® Vista™ Rectangular Table with T-Foot *continued*

Specification Information

Step 1.

DV6GT

Step 2. Edge

S. squared-edge

Step 3. Depth

24 24" deep (23" surface size) [A](#)

30 30" deep (29" surface size)

Step 4. Width

48 48" wide (46" surface size) [A](#)

54 54" wide (52" surface size) [A](#)

60 60" wide (58" surface size)

66 66" wide (64" surface size) [A](#)

72 72" wide (70" surface size)

Step 5. Surface Material

For squared-edge (S.)

A high-pressure laminate top/thermoplastic edge with MicrobeCare™

C high-pressure laminate top/universal edge with MicrobeCare™

L high-pressure laminate top/thermoplastic edge

U high-pressure laminate/universal edge

J thermally-fused laminate top/thermoplastic edge with MicrobeCare™

K thermally-fused laminate top/universal edge with MicrobeCare™

M thermally-fused laminate top/thermoplastic edge

T thermally-fused laminate top/universal edge

W veneer top/veneer edge

Step 6. Top Thickness

For squared-edge (S.) with high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), or veneer top/veneer edge (W)

04 1¼" thick

08 1½" thick [A](#)

For squared-edge (S.) with thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

04 1¼" thick

Step 7. Mechanism

D electric extended range [A](#)

E electric standard range

Step 8. Leg Location

For 48" wide (46" surface size) (48) with electric extended range (D) or electric standard range (E)

1 legs outbound (no surface mounted storage) [A](#)

For 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with electric standard range (E)

1 legs outbound (no surface mounted storage)

2 legs inbound (for under surface storage on both ends) [A](#)

3 legs inbound (for under surface storage on left or right end) [A](#)

For 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with electric extended range (D)

1 legs outbound (no surface mounted storage) [A](#)

Prices for Steps 1-8.

		A04D1	A04E1	A04E2	A04E3	A08D1	A08E1
DV6GTS.	24 48	\$3317	3080	—	—	3390	3153
	54	\$3401	3166	3166	3166	3477	3240
	60	\$3460	3225	3225	3225	3536	3299
	66	\$3540	3303	3303	3303	3613	3379
	72	\$3615	3380	3380	3380	3691	3454
	30 48	\$3331	3095	—	—	3407	3169
	54	\$3438	3202	3202	3202	3511	3276
	60	\$3504	3269	3269	3269	3579	3343
	66	\$3606	3370	3370	3370	3684	3445
	72	\$3704	3471	3471	3471	3780	3544
		A08E2	A08E3	C04D1	C04E1	C04E2	C04E3
DV6GTS.	24 48	—	—	\$3284	3050	—	—
	54	\$3240	3240	3368	3135	3135	3135
	60	\$3299	3299	3427	3194	3194	3194
	66	\$3379	3379	3505	3273	3273	3273
	72	\$3454	3454	3580	3347	3347	3347
	30 48	—	—	\$3298	3066	—	—
	54	\$3276	3276	3405	3171	3171	3171
	60	\$3343	3343	3471	3237	3237	3237
	66	\$3445	3445	3572	3337	3337	3337
	72	\$3544	3544	3669	3436	3436	3436

Motia® Vista™ Rectangular Table with
T-Foot *continued*

		C08D1	C08E1	C08E2	C08E3	L04D1	L04E1
DV6GTS.	24 48	\$3357	3124	—	—	3266	3027
	54	\$3443	3209	3209	3209	3353	3116
	60	\$3501	3268	3268	3268	3413	3174
	66	\$3579	3346	3346	3346	3493	3253
	72	\$3655	3421	3421	3421	3569	3333
	30 48	\$3374	3138	—	—	3282	3042
	54	\$3478	3244	3244	3244	3390	3151
	60	\$3545	3309	3309	3309	3458	3219
	66	\$3647	3412	3412	3412	3562	3322
	72	\$3744	3509	3509	3509	3661	3422

		L04E2	L04E3	L08D1	L08E1	L08E2	L08E3
DV6GTS.	24 48	—	—	\$3342	3102	—	—
	54	\$3116	3116	3431	3192	3192	3192
	60	\$3174	3174	3490	3250	3250	3250
	66	\$3253	3253	3568	3331	3331	3331
	72	\$3333	3333	3648	3407	3407	3407
	30 48	—	—	\$3358	3120	—	—
	54	\$3151	3151	3465	3227	3227	3227
	60	\$3219	3219	3535	3294	3294	3294
	66	\$3322	3322	3640	3397	3397	3397
	72	\$3422	3422	3738	3498	3498	3498

		U04D1	U04E1	U04E2	U04E3	U08D1	U08E1
DV6GTS.	24 48	\$3218	2983	—	—	3293	3057
	54	\$3304	3071	3071	3071	3381	3145
	60	\$3363	3128	3128	3128	3439	3203
	66	\$3442	3206	3206	3206	3516	3282
	72	\$3517	3284	3284	3284	3595	3357
	30 48	\$3234	2998	—	—	3309	3074
	54	\$3341	3105	3105	3105	3415	3180
	60	\$3408	3172	3172	3172	3484	3246
	66	\$3510	3274	3274	3274	3587	3348
	72	\$3608	3372	3372	3372	3684	3447

		U08E2	U08E3	J04D1	J04E1	J04E2	J04E3
DV6GTS.	24 48	—	—	\$3217	2988	—	—
	54	\$3145	3145	3299	3071	3071	3071
	60	\$3203	3203	3357	3129	3129	3129
	66	\$3282	3282	3434	3206	3206	3206
	72	\$3357	3357	3507	3279	3279	3279
	30 48	—	—	\$3231	3003	—	—
	54	\$3180	3180	3336	3106	3106	3106
	60	\$3246	3246	3399	3172	3172	3172
	66	\$3348	3348	3499	3269	3269	3269
	72	\$3447	3447	3594	3366	3366	3366

		K04D1	K04E1	K04E2	K04E3	M04D1	M04E1
DV6GTS.	24 48	\$3217	2988	—	—	3122	2893
	54	\$3299	3071	3071	3071	3207	2979
	60	\$3357	3129	3129	3129	3263	3034
	66	\$3434	3206	3206	3206	3340	3110
	72	\$3507	3279	3279	3279	3413	3186
	30 48	\$3231	3003	—	—	3138	2909
	54	\$3336	3106	3106	3106	3240	3014
	60	\$3399	3172	3172	3172	3306	3077
	66	\$3499	3269	3269	3269	3405	3177
	72	\$3594	3366	3366	3366	3501	3271

		M04E2	M04E3	T04D1	T04E1	T04E2	T04E3
DV6GTS.	24 48	—	—	\$3122	2893	—	—
	54	\$2979	2979	3207	2979	2979	2979
	60	\$3034	3034	3263	3034	3034	3034
	66	\$3110	3110	3340	3110	3110	3110
	72	\$3186	3186	3413	3186	3186	3186
	30 48	—	—	\$3138	2909	—	—
	54	\$3014	3014	3240	3014	3014	3014
	60	\$3077	3077	3306	3077	3077	3077
	66	\$3177	3177	3405	3177	3177	3177
	72	\$3271	3271	3501	3271	3271	3271

		W04D1	W04E1	W04E2	W04E3	W08D1	W08E1
DV6GTS.	24 48	\$3609	3377	—	—	3684	3451
	54	\$3752	3523	3523	3523	3825	3594
	60	\$3874	3642	3642	3642	3948	3715
	66	\$4019	3788	3788	3788	4092	3861
	72	\$4138	3907	3907	3907	4210	3983
	30 48	\$3739	3510	—	—	3814	3583
	54	\$3915	3687	3687	3687	3990	3758
	60	\$4076	3845	3845	3845	4150	3917
	66	\$4261	4032	4032	4032	4333	4105
	72	\$4415	4185	4185	4185	4490	4259

		W08E2	W08E3
DV6GTS.	24 54	\$3594	3594
	60	\$3715	3715
	66	\$3861	3861
	72	\$3983	3983
	30 54	\$3758	3758
	60	\$3917	3917
	66	\$4105	4105
	72	\$4259	4259

Motia® Adjustable Height Table

Motia® Vista™ Rectangular Table with T-Foot *continued*

Motia® Adjustable Height Table

Step 9. Switch Option		
STS	simple up/down - touch switch	+\$0
SUD	simple up down - paddle switch <input type="checkbox"/>	+\$50
SMT	no switch - LO100 <input type="checkbox"/>	+\$0

Step 10.

Top Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LT	light tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
CHD	noble cherry	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
EW	medium matte walnut <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
WHN	natural white oak	+\$85

Top Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Motia® Vista™ Rectangular Table with T-Foot *continued*

Step 11. Edge Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

For high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate/universal edge (U), thermally-fused laminate top/universal edge with MicrobeCare™ (K), or thermally-fused laminate top/universal edge (T)

PLY	plywood edge <input type="checkbox"/>	+\$50
------------	---------------------------------------	-------

Step 12. Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze <input type="checkbox"/>	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black <input type="checkbox"/>	+\$0
DB3	glacier <input type="checkbox"/>	+\$25
DN2	nightfall <input type="checkbox"/>	+\$25
DR1	canyon <input type="checkbox"/>	+\$25
G1	graphite (CP)	+\$0
OLF	olive <input type="checkbox"/>	+\$25
UBK	ultra black (CP)	+\$0

Smooth Paint

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 13. Cable Trough

For 24" deep (23" surface size) (24) with 48" wide (46" surface size) (48), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72)

2	hinged cable trough for 24" deep surface <input type="checkbox"/>	+\$275
N	no cable trough <input type="checkbox"/>	+\$0

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72)

3	hinged cable trough for 30" deep surface <input type="checkbox"/>	+\$296
N	no cable trough	+\$0

For 24" deep (23" surface size) (24) with 54" wide (52" surface size) (54) with legs inbound (for under surface storage on both ends) (2)

N	no cable trough <input type="checkbox"/>	+\$0
----------	--	------

Motia® Vista™ Rectangular Table with
T-Foot *continued*

Motia® Adjustable Height Table

For 24" deep (23" surface size) (24) with 54" wide (52" surface size) (54) with
legs outbound (no surface mounted storage) (1), or legs inbound (for under
surface storage on left or right end) (3)


2	hinged cable trough for 24" deep surface <input type="checkbox"/>	+\$275
N	no cable trough <input type="checkbox"/>	+\$0

Step 14. Power Access Cutout		
CC	center cutout for Logic Mini - Y1414 and Y1412.1 <input type="checkbox"/>	+\$55
LC	left cutout for Logic Mini - Y1414 and Y1412.1 <input type="checkbox"/>	+\$55
NC	no cutout	+\$0
RC	right cutout for Logic Mini - Y1414 and Y1412.1 <input type="checkbox"/>	+\$55

Step 15. Glides		
57	glides	+\$0

Height Adjustable Base Kit with T-Foot

DV7AT.



Product Information

Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of switch type or with no switch to accommodate adding Live Platform™ to the table. Glides have 1/2" of leveling range. Shipped knocked down. Product is UL Recognized.

Notes


With standard 1 1/8" thick work surface, floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for foot depth are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.

Order work surface stiffener (FV696.) separately.

See Motia® Sit-to-Stand Tables planning guide for proper installation of leg kit and design information.

Dimensions



Specification Information

Step 1.

DV7AT. ☐ A

Step 2. Depth

24 24" deep (23" surface size) ☐ A

30 30" deep (29" surface size) ☐ A

Step 3. Mechanism

E electric standard range ☐ A

D electric extended range ☐ A

Step 4. Leg Location

1 legs outbound (no surface mounted storage) ☐ A

Prices for Steps 1-4.

	1
DV7AT. 24 E	\$2256
D	\$2513
30 E	\$2298
D	\$2557

Step 5. Switch Option

STS	simple up/down touch switch <input type="checkbox"/> A	+\$0
SUD	simple up down - paddle switch <input type="checkbox"/> A	+\$50
SRM	digital read out with memory <input type="checkbox"/> A	+\$160
SMT	no switch - LO100 <input type="checkbox"/> A	+\$0

Step 6. Leg/Foot Finish

Metallic Paint

613	silver (CP) <input type="checkbox"/> A	+\$0
CN	metallic champagne leg with metallic champagne foot <input type="checkbox"/> A	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/> A	+\$0
SNA	satin aluminum <input type="checkbox"/> A	+\$30
SNB	satin bronze <input type="checkbox"/> A	+\$30
SNC	satin carbon <input type="checkbox"/> A	+\$30

Sand Texture Paint

BK	black leg with black foot <input type="checkbox"/> A	+\$0
G1	graphite leg with graphite foot (CP) <input type="checkbox"/> A	+\$0
UBK	ultra black (CP) <input type="checkbox"/> A	+\$0


Height Adjustable Base Kit with
T-Foot *continued*

Motia® Sit to Stand Table Bases

Smooth Paint		
8Q	folkstone grey leg with folkstone grey foot (CP) A	+\$0
91	white leg with white foot (CP) A	+\$0
98	studio white leg with studio white foot (CP) A	+\$0
WL	warm stone leg with sandstone foot (CP) A	+\$0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0
Step 7. Glides		
57	glides A	+\$0

C-Foot 3 Leg Base Kit

DV7FC.



Product Information

Description

This independent 3-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths with several switch types or a no-switch option for use with Live Platform™ smart paddle kit. Glides have 1/2" of leveling range. Shipped knocked down. Product is UL Recognized.

Notes


With standard 1 1/8" thick work surface, floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for foot depth are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.


Order work surface stiffener (FV696.) separately.

See Motia® Sit-to-Stand Tables planning guide for proper installation of leg kit and design information.

Dimensions



Standard Height Range




Extended Height Range

C-Foot 3 Leg Base Kit *continued*

Specification Information			
Step 1.			
DV7FC. <input type="checkbox"/>			
Step 2. Depth			
24	24" deep (23" surface size)	<input type="checkbox"/>	
30	30" deep (29" surface size)	<input type="checkbox"/>	
Step 3. Mechanism			
E	electric standard range	<input type="checkbox"/>	
D	electric extended range	<input type="checkbox"/>	
Prices for Steps 1-3.			
		E	D
DV7FC. 24		\$3872	4301
30		\$3872	4301
Step 4. Switch Option			
SRM	digital read out with memory	<input type="checkbox"/>	+\$160
SUD	simple up down - paddle switch	<input type="checkbox"/>	+\$50
STS	simple up/down touch switch	<input type="checkbox"/>	+\$0
Step 5. Base Finish			
Metallic Paint			
611	beige mist metallic (CP)	<input type="checkbox"/>	+\$0
613	silver (CP)	<input type="checkbox"/>	+\$0
SNA	satin aluminum	<input type="checkbox"/>	+\$30
SNB	satin bronze	<input type="checkbox"/>	+\$30
SNC	satin carbon	<input type="checkbox"/>	+\$30
Sand Texture Paint			
BK	black	<input type="checkbox"/>	+\$0
G1	graphite (CP)	<input type="checkbox"/>	+\$0
UBK	ultra black (CP)	<input type="checkbox"/>	+\$0
Smooth Paint			
8Q	folkstone grey (CP)	<input type="checkbox"/>	+\$0
91	white (CP)	<input type="checkbox"/>	+\$0
98	studio white (CP)	<input type="checkbox"/>	+\$0
WL	warm stone (CP)	<input type="checkbox"/>	+\$0
WN	warm grey neutral	<input type="checkbox"/>	+\$0
Step 6. Glides			
57	glides	<input type="checkbox"/>	+\$0

Height Adjustable Base Kit with C-Foot

DV7AC.



Product Information

Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths with several available switch types or a no-switch option for use with Live Platform™ smart paddle kit. Glides have 1/2" of leveling range. Shipped knocked down. Product is UL Recognized.

Notes


With standard 1 1/8" thick work surface, floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for foot depth are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.

Order work surface stiffener (FV696.) separately.

See Motia® Sit-to-Stand Tables planning guide for proper installation of leg kit and design information.

Dimensions



Specification Information

Step 1.

DV7AC. [A]

Step 2. Depth

24 24" deep (23" surface size) [A]

30 30" deep (29" surface size) [A]

Step 3. Mechanism

E electric standard range [A]

D electric extended range [A]

Step 4. Leg Location

1 legs outbound (no surface mounted storage) [A]

Prices for Steps 1-4.

	1
DV7AC. 24 E	\$2299
D	\$2519
30 E	\$2304
D	\$2557

Step 5. Switch Option

SRM	digital read out with memory [A]	+\$160
SUD	simple up down - paddle switch [A]	+\$50
STS	simple up/down touch switch [A]	+\$0

Step 6. Leg/Foot Finish

Metallic Paint

613	silver (CP) [A]	+\$0
CN	metallic champagne leg with metallic champagne foot [A]	+\$0
MS	metallic silver leg with metallic silver foot [A]	+\$0
SNA	satin aluminum [A]	+\$30
SNB	satin bronze [A]	+\$30
SNC	satin carbon [A]	+\$30

Sand Texture Paint

BK	black leg with black foot [A]	+\$0
G1	graphite leg with graphite foot (CP) [A]	+\$0
UBK	ultra black (CP) [A]	+\$0


Height Adjustable Base Kit with
C-Foot *continued*

Motia® Sit to Stand Table Bases

Smooth Paint			
8Q	folkstone grey leg with folkstone grey foot (CP)	A	+\$0
91	white leg with white foot (CP)	A	+\$0
98	studio white leg with studio white foot (CP)	A	+\$0
WL	warm stone leg with sandstone foot (CP)	A	+\$0
WN	warm grey neutral leg with warm grey neutral foot	A	+\$0
Step 7. Glides			
57	glides	A	+\$0

Motia® Vista™ Adjustable Base Kit with T-Foot

DV7GT.



Product Information

Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a choice of switch type. Glides have 1/2" of leveling range. Kit includes work surface stiffener. Shipped knocked down. Product is UL Recognized.

Notes


With standard 1 1/8" thick work surface, floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for foot depth and base width are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.


To accommodate adding Live Platform™ to the table, specify no switch - LO100 (SMT) option.

For proper installation of leg kit and design information, see planning guide.

Dimensions



(E) Electric Standard Range



(D) Electric Extended Range

Specification Information

Step 1.

DV7GT. ☐

Step 2. Depth

24 24" deep (23" surface size) ☐

30 30" deep (29" surface size) ☐

Step 3. Mechanism

D electric extended range ☐

E electric standard range ☐

Step 4. Leg Location

1 legs outbound (no surface mounted storage) ☐

Prices for Steps 1-4.

	1
DV7GT. 24 D	\$2878
E	\$2642
30 D	\$2789
E	\$2555

Step 5. Switch Option

STS	simple up/down touch switch <input type="checkbox"/>	+\$0
SMT	no switch - LO100 <input type="checkbox"/>	+\$0
SUD	simple up down - paddle switch <input type="checkbox"/>	+\$50
SRM	digital read out with memory <input type="checkbox"/>	+\$160

Step 6. Leg/Foot Finish

Smooth Paint

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Metallic Paint

611	beige mist metallic (CP) <input type="checkbox"/>	+\$0
613	silver (CP) <input type="checkbox"/>	+\$0
EH	metallic bronze <input type="checkbox"/>	+\$0
SNA	satin aluminum <input type="checkbox"/>	+\$30
SNB	satin bronze <input type="checkbox"/>	+\$30
SNC	satin carbon <input type="checkbox"/>	+\$30


Motia® Vista™ Adjustable Base Kit
with T-Foot *continued*

Motia® Sit to Stand Table Bases

Sand Texture Paint		
BK	black <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0
Step 7. Glides		
57	glides <input type="checkbox"/>	+\$0

Ambit™ Height Adjustable Table Leg Shroud

DV8SM.
DV8SN.
DV8SR.



Product Information

Description

This shroud stands on the floor and replaces the foot of the table. Shroud is available in all-metal, metal wrapper with laminate exterior panel, or metal wrapper with veneer exterior panel. A shroud can be added to one or both legs of a C-leg height-adjustable table. An optional tool rail can be specified.

Notes

Optional tool rail is not retrofittable.

Shroud is retrofittable to existing height-adjustable tables.

Distance between top of shroud and bottom of standard height-adjustable table range is 3.94".

Shroud not compatible with extended range height-adjustable tables.

Cable knockout at top-rear of shroud has bezel available in 3 colors.


Cord cutout at bottom-rear of shroud can route up to 4 cords.

Order optional accessories together or separately:

- Bag hook (YT700.)
- Accessory shelf (YT715.)
- Vertical cable manager (DU16.)

See planning guide for additional information.

Dimensions



Specification Information

Step 1.

DV8S

Step 2. Table Type

- M.** Motia®
N. Nevi
R. Renew™

Step 3. Leg Type

- C** C-leg

Step 4. Depth

- 24** 24" deep (23" surface size)
30 30" deep (29" surface size)

Step 5. Mechanism

- E** electric standard range

Step 6. Shroud Location

- L** left
R right

Step 7. Shroud Option Left

For left (L)

- SL** high-pressure laminate panel + metal wrapper
SM all metal
SW veneer panel + metal wrapper

For right (R)

- SL** high-pressure laminate panel + metal wrapper
SM all metal
SW veneer panel + metal wrapper

Prices for Steps 1-7.

		ELSL	ELSM	ELSW	ERSL	ERSM	ERSW
DV8SM. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228
DV8SN. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228
DV8SR. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228

Ambit™ Height Adjustable Table Leg Shroud *continued*

Ambit™ Shrouds

Step 8. Shroud Finish Left - Metal Wrapper

Metallic Paint

For all metal (SM)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For all metal (SM)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
G1	graphite (CP)	+\$0
OLF	olive	+\$20
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Laminate

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer panel + metal wrapper (SW)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
OU	walnut	+\$0
UL	natural maple	+\$0

Ambit™ Height Adjustable Table Leg Shroud *continued*

Step 9. Edge Finish Left

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 10. Shroud Finish Left

For high-pressure laminate panel + metal wrapper (SL) or veneer panel + metal wrapper (SW)

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Step 11. Shroud Cable Management Bezel Left

For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
UBK	ultra black (CP)	+\$0

Step 12. Shroud Finish Right - Metal Wrapper

Metallic Paint

For all metal (SM)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For all metal (SM)

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Ambit™ Height Adjustable Table Leg Shroud *continued*

Ambit™ Shrouds

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer panel + metal wrapper (SW)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
OU	walnut	+\$0
UL	natural maple	+\$0

Step 13. Edge Finish Right

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 14. Shroud Finish Right

For high-pressure laminate panel + metal wrapper (SL) or veneer panel + metal wrapper (SW)

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Ambit™ Height Adjustable Table Leg Shroud *continued*

Sand Texture Paint		
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Step 15. Shroud Cable Management Bezel Right

For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
UBK	ultra black (CP)	+\$0

Step 16. Tool Rail Left

For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

1	none	+\$0
2	Ubi work tool attached	+\$95

Step 17. Accessory Options Left

For 30" deep (29" surface size) (30) with left (L) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
C	YT716 - document holder	+\$0
F	YT715 - sm. shelf with canyon liner	+\$138
G	YT715 - sm. shelf with pesto liner	+\$138
H	YT715 - sm. shelf with bayou liner	+\$138
I	YT715 - sm. shelf with greystone liner	+\$138
J	YT715 - sm. shelf with charcoal liner	+\$138
E	YT715 - large accessory shelf - no liner	+\$187
K	YT715 - lg. shelf with canyon liner	+\$297
L	YT715 - lg. shelf with pesto liner	+\$297
M	YT715 - lg. shelf with bayou liner	+\$297
N	YT715 - lg. shelf with greystone liner	+\$297
O	YT715 - lg. shelf with charcoal liner	+\$297

For 24" deep (23" surface size) (24) with left (L) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
F	YT715 - sm. shelf with canyon liner	+\$138

Step 18. Accessory Options Left Finish

For YT700 - bag hook (B), YT715 - small accessory shelf - no liner (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)

613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 19. Tool Rail Right

For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

1	none	+\$0
2	Ubi work tool attached	+\$95

Ambit™ Height Adjustable Table Leg Shroud *continued*

Ambit™ Shrouds

Step 20. Accessory Options Right

For 30" deep (29" surface size) (30) with right (R) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
C	YT716 - document holder	+\$0
F	YT715 - sm. shelf with canyon liner	+\$138
G	YT715 - sm. shelf with pesto liner	+\$138
H	YT715 - sm. shelf with bayou liner	+\$138
I	YT715 - sm. shelf with greystone liner	+\$138
J	YT715 - sm. shelf with charcoal liner	+\$138
E	YT715 - large accessory shelf - no liner	+\$187
K	YT715 - lg. shelf with canyon liner	+\$297
L	YT715 - lg. shelf with pesto liner	+\$297
M	YT715 - lg. shelf with bayou liner	+\$297
N	YT715 - lg. shelf with greystone liner	+\$297
O	YT715 - lg. shelf with charcoal liner	+\$297

For 24" deep (23" surface size) (24) with right (R) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
F	YT715 - sm. shelf with canyon liner	+\$138

Step 21. Accessory Options Right Finish

For YT700 - bag hook (B), YT715 - small accessory shelf - no liner (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)

613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 22. Vertical Cable Management

1	none	+\$0
3	shroud attached	+\$156


Step 23. Vertical Cable Management Attachment

For shroud attached (3)

2	workspace connected	+\$0
3	horizontal cable trough connected	+\$0

Step 24. Vertical Cable Management Finish

UBK	ultra black (CP)	+\$0
BK	black	+\$0
SY	silver grey	+\$0



Product Information

Description

This suspended storage is painted metal and comes in 3 configurations: small, large open, and large closed. Options include a lock, and handed door opening on the large closed unit.

Notes


Suspended units must be mounted on inside of table leg.

Small and large open units are not handed. Lock is always on right side.


Suspended storage is designed to mount to the underside of 30"-deep, C-leg, standard range, height-adjustable tables.

See planning guide for additional information and for other height-adjustable table mounting capabilities.


Dimensions



Large suspended storage



Open suspended storage




Small suspended storage

Specification Information	
Step 1.	
IH200.	
Step 2. Storage Type	
C	large suspended storage, lock
K	small suspended storage, lock
L	large suspended storage, no lock
S	small suspended storage, no lock
Step 3. Configuration	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
S	standard
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
L	drawer, door hinged left
P	drawer, open
R	drawer, door hinged right
Step 4. Depth	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
13	13" deep
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
16	16" deep
Step 5. Width	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
10	10" wide
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
10	10-1/4" wide
Step 6. Top Drawer Accessory	
N	none
Step 7. Bottom Accessory	
N	none


Prices for Steps 1-7.			
		1310NN	1610NN
IH200.	C L	—	\$1108
	P	—	\$853
	R	—	\$1108
	K S	\$586	—
	L L	—	\$1053
	P	—	\$796
	R	—	\$1053
	S S	\$531	—
Step 8. Finish			
611	beige mist metallic (CP)		+\$0
613	silver (CP)		+\$0
SNA	satin aluminum		+\$30
SNB	satin bronze		+\$30
SNC	satin carbon		+\$30
8Q	folkstone grey (CP)		+\$0
91	white (CP)		+\$0
98	studio white (CP)		+\$0
BK	black		+\$0
DB3	glacier		+\$20
DN2	nightfall		+\$20
DR1	canyon		+\$20
G1	graphite (CP)		+\$0
OLF	olive		+\$20
UBK	ultra black (CP)		+\$0
WL	warm stone (CP)		+\$0
WN	warm grey neutral		+\$0
Step 9. Door Pull Finish			
<i>For drawer, door hinged left (L) or drawer, door hinged right (R)</i>			
8Q	folkstone grey (CP)		+\$0
98	studio white (CP)		+\$0
BK	black		+\$0
UBK	ultra black (CP)		+\$0
Step 10. Lock			
<i>For large suspended storage, lock (C) or small suspended storage, lock (K)</i>			
KA	keyed alike		+\$0
KC	keyed differently, chrome		+\$0
KD	keyed differently, black		+\$0
<i>For large suspended storage, no lock (L) or small suspended storage, no lock (S)</i>			
NL	no lock		+\$0

External Cable Manager

DU11B.
DU11S.




Product Information
Description
This cable manager seamlessly routes cables from the central trough of height adjustable benching (Renew™ Link or Nevi™ Link) up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.
Dimensions



Specification Information
Step 1.
DU11
Step 2. Attachment
B. high density trough attachment
S. worksurface attachment
Prices for Steps 1-2.
DU11B.
DU11S.
Step 3. Finish
Price Category 4
Price Category 5

Motia® Power and Data Support



Product Information


Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Grommet mount attachment does not come with the mini grommet (order separately as needed). Cable clips and attachment hardware included. Product is UL listed.

Notes

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed. Cable clips for cord management are intended for a 1-time installation. Clamp versions can be reoriented in the field by a technician. USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts. Cord color is predetermined. For white (91) finish cords will be white. For graphite (G1) finish cords will be black. Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions



Specification Information


Step 1.

Y1414.**Step 2. Configuration****L** 1 simplex receptacles, 1 powered USB A/C Combo**K** 2 simplex receptacles**Step 3. Cord/Conduit Length****03** 3' cord/conduit**06** 6' cord/conduit**10** 10' cord/conduit**Step 4. Attachment****G** grommet mount**S** surface clamp**Prices for Steps 1-4.**

		G	S
Y1414. L	03	\$471	471
	06	\$471	471
	10	\$483	483
	K 03	\$264	264
	06	\$264	264
	10	\$278	278

Step 5. Finish

BK	black <input type="checkbox"/> A	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP) <input type="checkbox"/> A	+\$0
98	studio white (CP) <input type="checkbox"/> A	+\$0
G1	graphite (CP) <input type="checkbox"/> A	+\$0



Product Information

Description

This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.

Notes

This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.

Dimensions

Specification Information

Step 1.

Y1412.

Step 2. Configuration

1

mini rectangle grommet

2

mini square grommet

Prices for Steps 1-2.

Y1412. 1

\$42

2

\$47

Step 3. Finish

91

white (CP)

+\$0

98

studio white (CP)

+\$0

BK

black

+\$0

G1

graphite (CP)


+\$0

UBK


ultra black (CP)

+\$0

Motia® Power and Data Support




Grommet - Rectangle



Grommet - Square

Hinged Cable Trough

Y1300.



Product Information

Description

This sheet metal trough is a stand-alone cable management tray that mounts to the underside of a work surface to hold and conceal cords and cables. It can be used with a Logic Mini unit for cord storage or used alone with cords routed through the ends of the trough. Trough holds cords in place when open.

Notes

Power strip (Y1500.) is intended to be housed inside the trough for additional power access.




Hinged cable trough works best with a Motia® Vista™ height adjustable table (DV6GT.). Can be used on any other work surface that has the clearance for the overall dimensions listed below.

When specifying a 24"D×54"W table with legs inbound for under surface storage on both ends (2) option, the hinged cable trough option is not available. It is recommended to use the (Y1200.48N) cable trough, ordered separately.

Order the following products separately:

- Power strip (Y1500.)
- Logic Mini (Y1414., Y1412.)

Dimensions



Motia® Power and Data Support

Specification Information

Step 1.

Y1300. ☐ A

Step 2. Work Surface Depth

- 24 for use with 24" deep work surface ☐ A
- 30 for use with 30" deep work surface ☐ A
- 48 for use with a 24" or 30" deep x 48" wide Motia C-Leg Table ☐ A

Prices for Steps 1-2.

Y1300. 24	\$261
30	\$283
48	\$245

Step 3. Finish

Smooth Paint

8Q	folkstone grey (CP) <input type="checkbox"/> A	+\$0
91	white (CP) <input type="checkbox"/> A	+\$0
98	studio white (CP) <input type="checkbox"/> A	+\$0
CL	cool grey neutral <input type="checkbox"/> A	+\$0
WL	warm stone (CP) <input type="checkbox"/> A	+\$0
WN	warm grey neutral <input type="checkbox"/> A	+\$0

Sand Texture Paint


BK	black <input type="checkbox"/> A	+\$0
G1	graphite (CP) <input type="checkbox"/> A	+\$0

Metallic Paint

SNB	satin bronze <input type="checkbox"/> A	+\$0
EH	metallic bronze <input type="checkbox"/> A	+\$0

Height-Adjustable Vertical Cable Manager

DU15B.
DU15S.




Product Information

Description

This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.

Dimensions



Specification Information

Step 1.

DU15

Step 2. Attachment

B.

cable tray attachment

S.

worksurface attachment

Step 3. Table Mechanism

D

electric extended range

E

electric standard range

Prices for Steps 1-3.

DU15B. D

\$169

E

\$169

DU15S. D

\$176

E

\$176

Step 4. Finish

613

silver (CP)

+\$0

UBK

ultra black (CP)

+\$0

BK

black

+\$0

91


white (CP)

+\$0

Motia® Power and Data Support

Pari Screen, Height Adjustable
Tables

Y1116.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.
Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.
Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.
Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.
Screens 54" wide and wider include an additional 1"-wide center mounting bracket.
Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.
Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.
Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.
Attachment bracket finish is painted graphite.
Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

- 24—0.88
- 30—1.07
- 36—1.26
- 42—1.45
- 48—1.64
- 54—1.83
- 60—2.02
- 66—2.21
- 72—2.39

For heights C/D/E/F:

- 24—1.76
- 30—2.14
- 36—2.52
- 42—2.90
- 48—3.28
- 54—3.65
- 60—4.03
- 66—4.41
- 72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Pari Screen, Height Adjustable Tables *continued*

Specification Information

Step 1.

Y1116. ☐ A

Step 2. Height

- A privacy (42" high) ☐ A
- B privacy & modesty (42" high/10" below surface) ☐ A
- C privacy (46" high) ☐ A
- D privacy & modesty (46" high/10" below surface) ☐ A
- E privacy (53" high) ☐ A
- F privacy & modesty (53" high/10" below surface) ☐ A

Step 3. Width

- 24 24" wide ☐ A
- 30 30" wide ☐ A
- 36 36" wide ☐ A
- 42 42" wide ☐ A
- 48 48" wide ☐ A
- 54 54" wide ☐ A
- 60 60" wide ☐ A
- 66 66" wide ☐ A
- 72 72" wide ☐ A

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

- R tackable fabric, horizontal ☐ A
- T tackable fabric ☐ A
- D tackable fabric, horizontal with MicrobeCare™ ☐ A
- E tackable fabric with MicrobeCare™ ☐ A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

- R tackable fabric, horizontal ☐ A
- D tackable fabric, horizontal with MicrobeCare™ ☐ A

Prices for Steps 1-4.

	R	T	D	E
Y1116. A 24	\$556	556	625	625
30	\$645	645	712	712
36	\$670	670	738	738
42	\$710	710	779	779
48	\$736	736	805	805
54	\$808	—	876	—
60	\$868	—	937	—
66	\$927	—	998	—
72	\$979	—	1046	—

B 24	\$671	671	739	739
30	\$719	719	786	786
36	\$765	765	832	832
42	\$808	808	876	876
48	\$897	897	965	965
54	\$1009	—	1077	—
60	\$1035	—	1103	—
66	\$1113	—	1182	—
72	\$1141	—	1210	—
C 24	\$632	632	700	700
30	\$676	676	744	744
36	\$724	724	792	792
42	\$768	768	836	836
48	\$848	848	915	915
54	\$933	—	1000	—
60	\$1039	—	1107	—
66	\$1089	—	1157	—
72	\$1133	—	1200	—
D 24	\$812	812	879	879
30	\$855	855	923	923
36	\$901	901	969	969
42	\$946	946	1014	1014
48	\$1017	1017	1087	1087
54	\$1067	—	1135	—
60	\$1130	—	1198	—
66	\$1187	—	1255	—
72	\$1218	—	1285	—
E 24	\$831	831	899	899
30	\$876	876	944	944
36	\$921	921	988	988
42	\$993	993	1062	1062
48	\$1022	1022	1091	1091
54	\$1080	—	1150	—
60	\$1102	—	1171	—
66	\$1129	—	1197	—
72	\$1155	—	1223	—
F 24	\$915	915	983	983
30	\$959	959	1028	1028
36	\$1006	1006	1074	1074
42	\$1051	1051	1119	1119
48	\$1131	1131	1199	1199
54	\$1171	—	1238	—
60	\$1214	—	1282	—
66	\$1313	—	1380	—
72	\$1338	—	1406	—

Motia® Screens

Pari Screen, Height Adjustable

Tables *continued*


Step 5. Cable Trough		
<i>For privacy & modesty (42" high/10" below surface) (B), privacy & modesty (46" high/10" below surface) (D), or privacy & modesty (53" high/10" below surface) (F)</i>		
NC	no cable way <input type="checkbox"/>	+\$0
CW	cable way <input type="checkbox"/>	+\$25

Step 6. Fabric		
Price Category 1	<input type="checkbox"/>	+\$0
Price Category 2	<input type="checkbox"/>	+\$23
Price Category 3	<input type="checkbox"/>	+\$49
Price Category 5	<input type="checkbox"/>	+\$162
Price Category B	<input type="checkbox"/>	+\$86
Price Category C	<input type="checkbox"/>	+\$121
Price Category E	<input type="checkbox"/>	+\$182

Motia® Screens

Personal Side Screen

Y1117.



Product Information

Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to 1¼" thick.

Bottom of attachment bracket extends 1½" below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

13—0.94


For horizontal fabric direction (R):

Height—Yardage

13—1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

Y1117.

Step 2. Height

13 13" high

Step 3. Surface Material

R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-3.

	R	T
Y1117. 13	\$498	498

Step 4. Fabric

Price Category 1 +\$0

Price Category 2 +\$13


Price Category 3 +\$28

Price Category 5 +\$90

Motia® Screens

Surface-Attached Screen, Flat Edge

Y1118.



Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (A) top edge is 13" above top of work surface; bottom edge is 3¾" below work surface.

Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

- 24—0.88
- 30—1.07
- 36—1.26
- 42—1.45
- 48—1.64
- 54—1.83
- 60—2.02
- 66—2.21
- 72—2.39

For heights C/D/E/F:

- 24—1.76
- 30—2.14
- 36—2.52
- 42—2.90
- 48—3.28
- 54—3.65
- 60—4.03
- 66—4.41
- 72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Surface-Attached Screen, Flat Edge

continued

Specification Information

Step 1.

Y1118. ☐ A

Step 2. Height

A privacy (42" high) ☐ A

B privacy & modesty (42" high/ 9" below surface) ☐ A

C privacy (46" high) ☐ A

D privacy & modesty (46" high/ 9" below surface) ☐ A

E privacy (53" high) ☐ A

F privacy & modesty (53" high/ 9" below surface) ☐ A

Step 3. Width

24 24" wide ☐ A

30 30" wide ☐ A

36 36" wide ☐ A

42 42" wide ☐ A

48 48" wide ☐ A

54 54" wide ☐ A

60 60" wide ☐ A

66 66" wide ☐ A

72 72" wide ☐ A

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R tackable fabric, horizontal ☐ A

T tackable fabric ☐ A

D tackable fabric, horizontal with MicrobeCare™ ☐ A

E tackable fabric with MicrobeCare™ ☐ A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal ☐ A

D tackable fabric, horizontal with MicrobeCare™ ☐ A

Prices for Steps 1-4.

	R	T	D	E
Y1118. A 24	\$387	387	455	455
30	\$418	418	486	486
36	\$498	498	567	567
42	\$536	536	604	604
48	\$574	574	641	641
54	\$610	—	677	—
60	\$662	—	730	—
66	\$693	—	761	—
72	\$738	—	806	—

B 24	\$482	482	548	548
30	\$519	519	588	588
36	\$556	556	625	625
42	\$595	595	663	663
48	\$626	626	695	695
54	\$660	—	727	—
60	\$682	—	750	—
66	\$744	—	813	—
72	\$800	—	868	—
C 24	\$483	483	551	551
30	\$532	532	600	600
36	\$572	572	640	640
42	\$630	630	698	698
48	\$706	706	773	773
54	\$743	—	812	—
60	\$831	—	899	—
66	\$874	—	941	—
72	\$937	—	1005	—
D 24	\$606	606	675	675
30	\$676	676	744	744
36	\$754	754	821	821
42	\$771	771	840	840
48	\$803	803	872	872
54	\$826	—	892	—
60	\$914	—	982	—
66	\$988	—	1057	—
72	\$1029	—	1097	—
E 24	\$658	658	725	725
30	\$667	667	735	735
36	\$685	685	753	753
42	\$805	805	874	874
48	\$833	833	902	902
54	\$854	—	922	—
60	\$892	—	960	—
66	\$973	—	1042	—
72	\$1036	—	1104	—
F 24	\$796	796	864	864
30	\$805	805	874	874
36	\$819	819	887	887
42	\$833	833	902	902
48	\$844	844	913	913
54	\$855	—	923	—
60	\$946	—	1014	—
66	\$994	—	1063	—
72	\$1201	—	1269	—

Motia® Screens

Surface-Attached Screen, Flat Edge


continued

Step 5. Cable Trough		
<i>For privacy & modesty (42" high/ 9" below surface) (B), privacy & modesty (46" high/ 9" below surface) (D), or privacy & modesty (53" high/ 9" below surface) (F)</i>		
NC	no cable way <input type="checkbox"/> A	+\$0
CW	cable way <input type="checkbox"/> A	+\$25

Step 6. Fabric		
Price Category 1	<input type="checkbox"/> A	+\$0
Price Category 2	<input type="checkbox"/> A	+\$25
Price Category 3	<input type="checkbox"/> A	+\$59
Price Category 5	<input type="checkbox"/> A	+\$146
Price Category B	<input type="checkbox"/> A	+\$97
Price Category C	<input type="checkbox"/> A	+\$133
Price Category E	<input type="checkbox"/> A	+\$182

<i>For tackable fabric, horizontal (R) or tackable fabric, horizontal with MicrobeCare™ (D)</i>		
Price Category 1	<input type="checkbox"/> A	+\$0
Price Category 2	<input type="checkbox"/> A	+\$25
Price Category 3	<input type="checkbox"/> A	+\$59
Price Category 5	<input type="checkbox"/> A	+\$146
Price Category B	<input type="checkbox"/> A	+\$97
Price Category C	<input type="checkbox"/> A	+\$133

Motia® Screens



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 11 1/8" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.


Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.

Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1120.

Step 2. Height

13A privacy (13 1/2" above worksurface)

13B privacy & modesty (13 1/2" above worksurface/11 1/8" below worksurface)

Step 3. Width

24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide

Step 4. Surface Material

L thermally-fused laminate

U thermally-fused laminate/universal edge

Prices for Steps 1-4.

			L	U
Y1120.	13A	24	\$264	264
		30	\$281	281
		36	\$295	295
		42	\$309	309
		48	\$324	324
		54	\$337	337
		60	\$348	348
		66	\$359	359
		72	\$373	373
	13B	24	\$326	326
		30	\$343	343
		36	\$361	361
		42	\$380	380
		48	\$398	398
		54	\$412	412
		60	\$430	430
		66	\$442	442
		72	\$457	457

Laminate Screen, Surface Attached

continued

Motia® Screens

Step 5. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

VTG	vertical grain	+\$0
HRG	horizontal grain	+\$0

For 66" wide (66) or 72" wide (72)

HRG	horizontal grain	+\$0
------------	------------------	------

Step 6. Cable Trough

For privacy (13½" above worksurface) (13A)

NC	no cable way	+\$0
-----------	--------------	------

For privacy & modesty (13½" above worksurface/11⅞" below worksurface) (13B)

NC	no cable way	+\$0
CW	cable way	+\$25

Step 7. Surface Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Edge Finish

For thermally-fused laminate (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Vista Privacy + Modesty Screen - Double Sided, Height Adjustable Table

Y1130.



Product Information

Description

This sheet metal privacy + modesty screen attaches to a Motia® Vista™ height adjustable table. The screen wraps around both ends of the work surface. Attachment hardware included.

Notes

Actual screen width is 2" less than specified width.


Privacy top edge is 7" above top of work surface at a 36" datum height.

Bottom edge of screen is 15" below top of work surface.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

There is not enough clearance for an open frame screen (FG345.) to be mounted above the work surface.

Dimensions



Specification Information

Step 1.

Y1130. ☐

Step 2. Height

A36 36" high/15" below work surface ☐

Step 3. Depth

24 24" deep ☐

30 30" deep ☐

Step 4. Width

48 48" wide ☐

54 54" wide ☐

60 60" wide ☐

66 66" wide ☐

72 72" wide ☐

Prices for Steps 1-4.

		48	54	60	66	72
Y1130. A36	24	\$1000	1040	1081	1132	1196
	30	\$1045	1087	1129	1186	1243

Step 5. Screen Finish

Smooth Paint

8Q	folkstone grey (CP)	<input type="checkbox"/>	+\$0
91	white (CP)	<input type="checkbox"/>	+\$0
98	studio white (CP)	<input type="checkbox"/>	+\$0
CL	cool grey neutral	<input type="checkbox"/>	+\$0
WL	warm stone (CP)	<input type="checkbox"/>	+\$0
WN	warm grey neutral	<input type="checkbox"/>	+\$0


Metallic Paint

611	beige mist metallic (CP)	<input type="checkbox"/>	+\$0
613	silver (CP)	<input type="checkbox"/>	+\$0
SNA	satin aluminum	<input type="checkbox"/>	+\$10
SNB	satin bronze	<input type="checkbox"/>	+\$10
SNC	satin carbon	<input type="checkbox"/>	+\$10
EH	metallic bronze	<input type="checkbox"/>	+\$0

Sand Texture Paint

UBK	ultra black (CP)	<input type="checkbox"/>	+\$0
BK	black	<input type="checkbox"/>	+\$0
G1	graphite (CP)	<input type="checkbox"/>	+\$0

Vista Modesty Screen - Double Sided, Y1131.
Height Adjustable Table



Product Information


Description

This sheet metal modesty screen attaches to a Motia® Vista™ height adjustable table. The screen wraps around both ends of the work surface. Attachment hardware included.

Notes

Actual screen width is 2" less than specified width.
Bottom edge of screen is 15" below top of work surface.
Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.
There is enough clearance for an open frame screen (FG345.) to be mounted above the work surface. Order separately.

Dimensions



Specification Information

Step 1.

Y1131. A

Step 2. Depth

24 24" deep A
30 30" deep A

Step 3. Width

48 48" wide A
54 54" wide A
60 60" wide A
66 66" wide A
72 72" wide A

Prices for Steps 1-3.

		48	54	60	66	72
Y1131.	24	\$814	833	850	927	1004
	30	\$842	860	876	953	1033

Step 4. Screen Finish

Smooth Paint


8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Metallic Paint

611	beige mist metallic (CP)	A	+\$0
613	silver (CP)	A	+\$0
SNA	satin aluminum	A	+\$10
SNB	satin bronze	A	+\$10
SNC	satin carbon	A	+\$10
EH	metallic bronze	A	+\$0

Sand Texture Paint

UBK	ultra black (CP)	A	+\$0
BK	black	A	+\$0
G1	graphite (CP)	A	+\$0



Product Information

Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT354. ☐ A

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed ☐ A

CR Canvas Surface Attached, End of Run Right Handed ☐ A

Step 3. Height

42 42" high ☐ A

46 46" high ☐ A

Step 4. Width

24 24" wide ☐ A

30 30" wide ☐ A

36 36" wide ☐ A

Step 5. Surface Material

R tackable fabric, horizontal ☐ A

T tackable fabric ☐ A

Prices for Steps 1-5.


		24R	24T	30R	30T	36R	36T
FT354.	CL 42	\$1139	1139	1178	1178	1212	1212
	46	\$1198	1198	1245	1245	1294	1294
	CR 42	\$1139	1139	1178	1178	1212	1212
	46	\$1198	1198	1245	1245	1294	1294

Step 6. Bracket Finish

UBK	ultra black (CP) <input type="checkbox"/> A	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/> A	+\$0
91	white (CP) <input type="checkbox"/> A	+\$0
98	studio white (CP) <input type="checkbox"/> A	+\$0
BK	black <input type="checkbox"/> A	+\$0
G1	graphite (CP) <input type="checkbox"/> A	+\$0
SNA	satin aluminum <input type="checkbox"/> A	+\$10
SNB	satin bronze <input type="checkbox"/> A	+\$10
SNC	satin carbon <input type="checkbox"/> A	+\$10
WL	warm stone (CP) <input type="checkbox"/> A	+\$0
WN	warm grey neutral <input type="checkbox"/> A	+\$0

Step 7. Fabric

Price Category 1 <input type="checkbox"/> A	+\$0
Price Category 2 <input type="checkbox"/> A	+\$20
Price Category 3 <input type="checkbox"/> A	+\$48
Price Category 5 <input type="checkbox"/> A	+\$102
Price Category B <input type="checkbox"/> A	+\$378
Price Category C <input type="checkbox"/> A	+\$128



Product Information

Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Delineation

continued

Motia® Screens

Specification Information

Step 1.

FT358.

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed

CR Canvas Surface Attached, End of Run Right Handed

Step 3. Height

42 42" high

46 46" high

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

Step 5. Surface Material

R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-5.

		24R	24T	30R	30T	36R	36T
FT358.	CL 42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841
	CR 42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841

Step 6. Bracket Finish

UBK ultra black (CP) +\$0

8Q folkstone grey (CP) +\$0

91 white (CP) +\$0

98 studio white (CP) +\$0

BK black +\$0

G1 graphite (CP) +\$0

SNA satin aluminum +\$10

SNB satin bronze +\$10

SNC satin carbon +\$10

WL warm stone (CP) +\$0

WN warm grey neutral +\$0

Step 7. Fabric

Price Category 1 +\$0

Price Category 2 +\$20

Price Category 3 +\$48

Price Category 5 +\$140


Price Category B +\$68

Price Category C +\$122


Price Category E +\$203

Suspended Cubby

L2SCF.



Product Information
Description
This suspended cubby mounts to the underside of a tethered, fixed-height or height-adjustable work surface. It has laminate case and fronts. Lock is optional. Felt liner included.
Notes
To use the suspended cubby, surface support positions must be inbound. Suspended cubby is handed, determined from user viewpoint while facing the surface.
When mounting suspended cubby below a height-adjustable table surface, the minimum height of table must be set at a height higher than the components below it.
See planning guide for more information.
Dimensions



Specification Information
Step 1.
L2SCF. <input type="checkbox"/> A
Step 2. Type
L left hand <input type="checkbox"/> A +\$1482
R right hand <input type="checkbox"/> A +\$1482
Step 3. Case Material
L thermally-fused laminate case material <input type="checkbox"/> A +\$0
Step 4. Front Material
L thermally-fused laminate front material <input type="checkbox"/> A +\$0
Step 5. Pull Type
A arc pull +\$0
K bar pull +\$0
Step 6. Lock
L lock <input type="checkbox"/> A +\$0
N no lock <input type="checkbox"/> A -\$17

Motia® Storage

Step 7. Case Finish

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
G1	graphite (CP)	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Step 8. Front Finish

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
G1	graphite (CP)	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Step 9. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K)

8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
G1	graphite (CP)	A	+\$0
WL	warm stone (CP)	A	+\$0

Suspended Cubby *continued*

Metallic Paint

For bar pull (K)

611	beige mist metallic (CP) <input type="checkbox"/>	+\$0
613	silver (CP) <input type="checkbox"/>	+\$0
SNA	satin aluminum <input type="checkbox"/>	+\$10
SNB	satin bronze <input type="checkbox"/>	+\$10
SNC	satin carbon <input type="checkbox"/>	+\$10

Sand Texture Paint


For bar pull (K)

UBK	ultra black (CP) <input type="checkbox"/>	+\$0
BK	black <input type="checkbox"/>	+\$16

Step 10. Lock Option

For lock (L)

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0




Product Information

Description
This suspended drawer mounts to the underside of a tethered, fixed-height or height-adjustable work surface. It has laminate case and fronts. Lock is optional. Felt liner included.

Notes
To use the suspended drawer, surface support positions must be inbound. Suspended drawer is handed, determined from user viewpoint while facing the surface.
When mounting suspended drawer below a height-adjustable table surface, the minimum height of table must be set at a height higher than the components below it.
See planning guide for more information.

Dimensions

Motia® Storage



Specification Information

Step 1.		
L2SDF. <input type="checkbox"/> A		
Step 2. Type		
L	left hand <input type="checkbox"/> A	+\$1144
R	right hand <input type="checkbox"/> A	+\$1144
Step 3. Case Material		
L	thermally-fused laminate case material <input type="checkbox"/> A	+\$0
Step 4. Front Material		
L	thermally-fused laminate front material <input type="checkbox"/> A	+\$0
Step 5. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
Step 6. Lock		
L	lock <input type="checkbox"/> A	+\$0
N	no lock <input type="checkbox"/> A	-\$17

Step 7. Case Finish

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 8. Front Finish

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 9. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0

Metallic Paint		
<i>For bar pull (K)</i>		
611	beige mist metallic (CP) <input type="checkbox"/> A	+\$0
613	silver (CP) <input type="checkbox"/> A	+\$0
SNA	satin aluminum <input type="checkbox"/> A	+\$10
SNB	satin bronze <input type="checkbox"/> A	+\$10
SNC	satin carbon <input type="checkbox"/> A	+\$10


Sand Texture Paint		
<i>For bar pull (K)</i>		
UBK	ultra black (CP) <input type="checkbox"/> A	+\$0
BK	black <input type="checkbox"/> A	+\$16

Step 10. Lock Option		
<i>For lock (L)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Motia® Storage

Stiffener

FV696.



Product Information

Description

This stiffener is used to add additional stiffness to a Canvas freestanding surface, Canvas or Ethospace® surface-attached surface, peninsula or any frame-attached surface when a center cantilever cannot be used. Attachment hardware included.


Notes

Canvas and Ethospace laminate or veneer surfaces 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever require stiffener(s).

See Canvas Office Landscape® Planning Guide or Ethospace Work Surface Planning Guide for specific stiffener guidelines.

Stiffener hangs below surface and is 1 1/4" high.

Dimensions



Specification Information

Step 1.

FV696.

Step 2. Width

34	33 7/8" wide
39	38 5/8" wide
43	43 1/4" wide
48	48" wide
57	57 3/8" wide
62	62 1/8" wide
67	66 3/4" wide
71	71 1/2" wide
81	80 7/8" wide

Prices for Steps 1-2.

FV696.	34	\$101
	39	\$103
	43	\$103
	48	\$103
	57	\$103
	62	\$103
	67	\$103
	71	\$103
	81	\$103

Motia® Accessories

Index by Product Name

Motia® Sit-to-Stand Tables	
Ambit™ Height Adjustable Table Leg Shroud	page(s) 31
Ambit™ Suspended Storage	37
C-Foot 3 Leg Base Kit	25
Extended Corner Table with C-Foot	13
External Cable Manager	39
Flat Edge Screen, Delineation	59
Height Adjustable Base Kit with C-Foot	27
Height Adjustable Base Kit with T-Foot	23
Height-Adjustable Vertical Cable Manager	45
Hinged Cable Trough	43
Laminate Screen, Surface Attached	53
Logic Mini	40
Logic Mini Grommet	42
Motia® Vista™ Adjustable Base Kit with T-Foot	29
Motia® Vista™ Rectangular Table with T-Foot	17
Pari Screen, Delineation	57
Pari Screen, Height Adjustable Tables	46
Personal Side Screen	49
Rectangular Table with C-Foot	5
Rectangular Table with T-Foot	9
Stiffener	67
Surface-Attached Screen, Flat Edge	50
Suspended Cubby	61
Suspended Drawer	64
Vista Modesty Screen - Double Sided, Height Adjustable Table	56
Vista Privacy + Modesty Screen - Double Sided, Height Adjustable Table	55



Index by Product Number

DU11B. External Cable Manager	page(s) 39
DU11S.	
DU15B. Height-Adjustable Vertical Cable Manager	45
DU15S.	
DV6ACS Rectangular Table with C-Foot	5
DV6ATS Rectangular Table with T-Foot	9
DV6ECS Extended Corner Table with C-Foot	13
DV6GTS Motia® Vista™ Rectangular Table with T-Foot	17
DV7AC. Height Adjustable Base Kit with C-Foot	27
DV7AT. Height Adjustable Base Kit with T-Foot	23
DV7FC. C-Foot 3 Leg Base Kit	25
DV7GT. Motia® Vista™ Adjustable Base Kit with T-Foot	29
DV8SM. Ambit™ Height Adjustable Table Leg Shroud	31
DV8SN.	
DV8SR.	
FT354. Pari Screen, Delineation	57
FT358. Flat Edge Screen, Delineation	59
FV696. Stiffener	67
IH200. Ambit™ Suspended Storage	37
L2SCF. Suspended Cubby	61
L2SDF. Suspended Drawer	64
Y1116. Pari Screen, Height Adjustable Tables	46
Y1117. Personal Side Screen	49
Y1118. Surface-Attached Screen, Flat Edge	50
Y1120. Laminate Screen, Surface Attached	53
Y1130. Vista Privacy + Modesty Screen - Double Sided, Height Adjustable Table	55
Y1131. Vista Modesty Screen - Double Sided, Height Adjustable Table	56
Y1300. Hinged Cable Trough	43
Y1412. Logic Mini Grommet	42
Y1414. Logic Mini	40





20-Day or Less/Assigned Lead-Time Order Information

GSA

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian® Filing and Storage:

(616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at:

(866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Vary Easy Program

GSA

Program Overview

The Vary Easy program offers expanded product selections beyond what is available through our standard offering. From expanded material and finish lists, to size availability, to completely new product configurations, the Vary Easy program offers it all at standard pricing, warranty, and lead-time.

Specifying Vary Easy using Made-to-Measure Plus

Vary Easy products are now available by clicking the Vary Easy/Options tile in the Made-to-Measure Plus tool.

Made-to-Measure Plus is a web-based tool available through Omni that takes the guesswork out of specifying products and service parts. It's quickly evolving to become your one-stop shop for specifying Herman Miller products and service parts, particularly customized product like Vary Easy and HM Options.

Vary Easy products are no longer published in marketing SIF for importing into specIT and other third-party specifiers. Specifying through the Made-to-Measure Plus tool allows us to make frequent updates and offer more complex products. It allows you to easily specify and price products and download SIF files to import into your specification tool. The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead-time and are competitively priced.

For step-by-step instructions, reference the Made-to-Measure Plus page under Tools & Resources on Omni to watch the how-to video and to see how easy it is to specify Vary Easy products in Made-to-Measure Plus.

For Vary Easy product and specification questions, contact Product Services at 866 854 3048 (ext #1).

For technical questions about the Made-to-Measure Plus tool, contact Sales Technology Support at 866 854 3048 (ext #4) or sts@hermanmiller.com.



Stain-to-Match Program

GSA

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

Ordering Products with Stain-to-Match Veneers

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to: options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.



For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan


Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

® HermanMiller, , Action Office, Aeron, Aside, Canvas Office Landscape, Caper, Cosm, Co/Struc, Eames, Embody, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Intent, Layout Studio, Lino, Maharam, Meridian, Mirra, Motia, Nelson, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Sayl, Setu, Tu, Verus, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ AireWeave, Bubbletack, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Headway, Hopsak 2, Iota, Keyless Entry, Latitude, Lyris 2, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Renew, Stackable, Swoop, Thrive, TriFlex, Twist and Valor are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles® is a registered trademark of Place Textiles.