

WARRANTY

Loewenstein products are guaranteed to be free from defects in design, material, and workmanship, given normal use and proper care, for 12 years of single-shift service from date of purchase as shown on your original receipt or other proof of purchase with the exceptions noted below. Loewenstein will repair or replace, at our discretion without charge to the original purchaser, any product or part thereof which fails as the result of such a defect during the warranty period. Freight or other shipping charges on returned product or part must be prepaid by the purchaser. Labor and service not covered under warranty. Loewenstein assumes no responsibility for repairs to products that result from user modifications, attachments to a product, misuse, abuse, alteration, or negligent use.

Except as stated above, Loewenstein makes no expressed or implied warranties as to any product, and, in particular, makes no warranty of merchantability or of fitness for any particular purpose. Loewenstein shall not be liable for consequential or incidental damages arising from any product defect.

- All components not listed below12 years
- Textiles 5 years
- Foam padding 2 years
- Hydraulic lifts, pneumatic cylinders & control mechanisms 2 years
- Casters 2 years
- Electrical components/Power supplies 1 year

This warranty does not cover:

- Damage caused by a transportation company.
- Natural variations in color, grain or texture of wood and other covering materials over which Loewenstein has no control.
- Fabric color matching, fabric puddling, fastness of colors or wearing qualities of any material.
- Freight or other shipping charges on returned product or parts, labor and service.

ORDERING INFORMATION

All orders should be placed with:

Loewenstein
1204 East 6th St.
P.O. Box 100
Huntingburg, IN 47542
800-521-5381 Fax 812-683-7256
order_entry@ofsbrands.com

ORDERS MUST INCLUDE

- Company name, address, telephone and fax number
- Contact person
- Authorized signature
- Purchase order number
- Sold to address & ship to address
- Order Date
- Requested ship date
- Complete style number
- Fabric/Vinyl/Leather grade, vendor, pattern and color
- Correct Net Dealer pricing
- Any special instructions
- CDA (if applicable)

NOTE: A customer drawing or sketch of the planned configuration in modular applications will facilitate order processing.

PRICES

All prices herein are list prices including delivery to one destination, effective with the date printed on the cover, and supersede all other published price lists. US List Prices are domestic prices only for shipment within the Continental United States. Prices are subject to change without notice, unless quoted in writing. Possession of the price list does not constitute authority to sell or offer for sale Loewenstein products.

ACKNOWLEDGMENTS

Orders are acknowledged upon receipt of credit approval. Your acknowledgment is a detailed description of items, prices, shipping information and shipping date. Please read your acknowledgment closely and notify Loewenstein immediately of any discrepancies. Loewenstein is not responsible for errors on orders placed by phone without written confirmation.

AVAILABILITY

Loewenstein is committed to the fastest possible shipment of all products. All other items are available within our normal manufacturing schedule. For information on stock availability, call our customer service hotline 800-763-0212.

Note: Planned shipping dates may be delayed due to fires, strikes, natural disasters or other causes beyond our control.

QUANTITY ORDERS

Contact your Loewenstein Customer Service Representative to verify inventory and production schedules to ensure requested shipment date prior to placing large quantity orders.

DELIVERY AND FREIGHT CHARGES

All shipments are F.O.B. point of shipment, freight prepaid and allowed, excluding fuel surcharges. Shipments outside of the Continental United States are freight prepaid and allowed to port of exit. Loewenstein reserves the right to select the most appropriate carrier and routing on all shipments; however, we will try to accommodate requests for your preferred carrier. Loewenstein reserves the right to implement a fuel surcharge. Orders of less than \$1500 net will be assessed a handling charge of \$100 net per order. Any charges arising from failure to receive a shipment, rerouting while in transit or carrier storage charges are not included in prices shown. Orders requiring special services are subject to an additional charge.

These services include:

- Reconsignment from original destination to new destination **\$35 plus \$3.00 per mile net**
- Refused/Returned Freight
 - Freight refused at destination and returned to Loewenstein **Double Freight**
 - Freight refused at time of delivery; returned to Loewenstein to deliver at a later date **Triple Freight**
- Detention Fees (after 2 hours of waiting) **\$85 net per hour**
- Weekend delivery available Friday after 3:00 p.m. through Sunday night or Holiday **\$600 net per truck**
- Customer Pickup
 - Customer Request for 3rd party to pick up freight at Loewenstein terminal **\$125 net**
- Change of Tags/Address/Phone #'s on Shipments **\$35 net**

SPECIAL ORDERS

The Loewenstein line of furniture is among the most complete in the industry. However, should a particular need arise requiring size modification or customization, contact your Customer Service Representative for a price quotation. Because of the uniqueness of the product, special orders are not subject to cancellation.

CANCELLATION AND ORDER CHANGES

All orders accepted by Loewenstein are considered firm and binding and are not subject to cancellation.

WAREHOUSE STORAGE CHARGES

If a shipment is held beyond fourteen (14) calendar days after the order is ready for shipment at your request, a .067% per day (2% per month) storage charge will be assessed. The effective date will be fourteen (14) calendar days after the order is ready for shipment, as long as this date is after the acknowledged ship date. Further, the prices applied to the order will be those prices in effect at time of shipment.

EXTENDED PRODUCTION AND SHIP DATES

Orders placed with Loewenstein with extended lead times as requested by you will be subject to price in effect at time of shipment.

DAMAGED MERCHANDISE AND FREIGHT CLAIMS

1. Inspect all cartons for damage and carton quantity. All shipments are delivered to the transportation company in good condition; Loewenstein's liability ceases at this time. Do not refuse merchandise damaged in transit. Instead, enter a claim with the transportation company.
2. Record damages and/or shortages on the bill of lading and freight bill. Do not accept the shipment until all shortages are noted on both the bill of lading and the freight bill. Sign only for the items you receive. If you give the delivering carrier a clear receipt for a shipment, the carrier is relieved of further responsibility.
3. If concealed damage is found: Notify the delivering carrier at once and request an inspection. For shipments via Styleline Logistics, notify your Loewenstein Customer Service Representative. This must be done within fifteen (15) calendar days of delivery. Without this inspection the transportation company will not entertain a claim for loss or damage. If the carrier will not perform the inspection, you should prepare an affidavit that you contacted the carrier, noting the time and date, and that the carrier failed to comply with your request. All shipping cartons and inner packing must be retained for carrier inspection. Do not move the damaged merchandise from the receiving location. It must also be retained for the inspection.

RETURN OF MERCHANDISE

Loewenstein will not accept returned merchandise without a signed Return Authorization (RA) issued by our Customer Service Department. All returned merchandise must be properly packaged and cartoned to prevent further damage. Carton must be clearly marked with identifying RA number so that proper credit can be issued. We will consider issuing RAs for the following reasons:

- Manufacturing defect (must be inspected by a Carolina Sales Representative)
- Carolina order processing error
- Shipping error
- Duplicate shipments
- Mismarked cartons

All merchandise must be returned within thirty (30) days of the date of the RA to receive credit. Freight damage, signs of usage, missing parts, etc. will be adjusted on the amount of credit to be issued.

REPAIR CHARGES

Reimbursement from Loewenstein for repairs must have prior approval.

BIFMA AND ANSI TESTING

Loewenstein is a member of the Business and Institutional Furniture Manufacturer's Association. Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of casegoods and seating in its everyday use. Although this testing does not serve as a warranty or guarantee, Loewenstein products within this price list generally meet or exceed applicable BIFMA and ANSI standards.

MODIFICATION PRICING

Modifications must be clearly designated on customer's purchase order by placing the letters MOD and modification # in front of the model number and noting the modification needed.

Example: MOD#3-1-206-1-A1S-MNW Add Grommet

GLIDES

Loewenstein utilizes different types of glides in our seating and tables construction, ie: non-marring, non-skid glides, adjustable glides, plastic glides, etc. The type of glide used in a product depends on the products design and typical application.

Due to varying flooring materials and our inability to test on all flooring types, Loewenstein assumes no responsibility for floors damaged by glides. For questions regarding glides, or to request specific glides contact Customer Service.

FIRE RETARDANT PRODUCTS

FIRE RETARDANT PRODUCTS

California Technical Bulletin 117-2013: All Loewenstein upholstered seating products and the resilient filling materials used in the upholstered seating products meet or exceed the requirements of the State of California, Department of Consumer Affairs, Technical Bulletin 117-2013. Compliance with these requirements is indicated by the label attached to the seat bottom.

Flame Retardant Chemicals: All standard Loewenstein upholstered seating products are offered with components, as identified in TB117-2013, that are free of flame retardant chemicals. All Loewenstein upholstered seating products will indicate Flame Retardant chemical composition in accordance to the labeling requirements of California Senate Bill 1019.

California Technical Bulletin 133: Cal TB 133 is a flammability test for seating products used in public spaces. The testing procedure for Cal TB 133 requires the burning of an entire product since the test is a composite test and not a component test. Loewenstein has pretested and certified many different chair styles and upholsteries. If Cal TB 133 certification is required, a burn test may need to be completed with a specific model and upholstery combination. Contact Customer Service for Cal TB 133 approval, pricing and lead times.

Loewenstein can not be held liable if purchase order does not indicate a requirement for Cal TB 133 compliance.

Boston Fire Code: Please contact Loewenstein Customer Service if compliance is required.

TEXTILES

TEXTILES

Loewenstein offers an extensive program of graded-in textiles including fabrics, leathers, vinyls, polyurethanes and Cryptons® from the industry's finest sources. While our binders may not include cards from every supplier, we do maintain programs with the following:

NOTE: For a list of current Loewenstein grade visit the textiles section of the Loewenstein website at:

www.loewensteininc.com/tools/textiles

FABRIC PARTNERS

— ARC-COM www.arc-com.com	— GREEN HIDES www.greenhides.com
— ARCHITEX www.architex-ljh.com	— MAHARAM www.maharam.com
— CAMIRA www.camirafabrics.com	— MAYER FABRICS www.mayerfabrics.com
— CARNEGIE www.carnegiefabrics.com	— MOMENTUM www.themomgroup.com
— HELVETIA LEATHER www.helvetialeather.com	— STINSON www.cfstinson.com
— DESIGNTEX www.designtex.com	— ULTRAFABRICS www.ultrafabricsllc.com

FABRIC PUDDLING

The content of certain fabrics makes these fabrics susceptible to puddling and wrinkling over which Loewenstein has no control. Slight changes in weather and humidity can affect these fabrics. Loewenstein will not assume responsibility when this happens.

FABRIC COLOR MATCHING

Loewenstein does not guarantee and will not assume responsibility for the fastness of colors or wearing qualities of any material. Because of industry dye lot variations, colors may not match exactly. Any adjustments made will depend upon the fabric manufacturers willingness to stand behind their product.

CUT YARDAGE FABRICS

Cut yardage from any Loewenstein Textile partner may be purchased through Loewenstein. Contact Customer Service for cut yardage pricing.

DIRECTIONAL FABRICS

Directional fabrics such as plaids, stripes and certain patterns may not meet your expectations due to certain sewing patterns, tufting and contoured shapes of certain styles and models. When required we will upholster to customer specifications but such orders are not subject to return. If you have a question or concern about one of these fabrics, please contact your Loewenstein Customer Service Representative and submit a fabric sample for approval prior to placing an order.

FABRIC APPLICATION

Loewenstein will match all fabrics that require matching such as plaids, stripes, or prints. Unless otherwise noted on the customer's purchase order, Loewenstein will apply textiles to upholstered items in the manner which we deem to be most appealing. Loewenstein takes no responsibility for the direction in which textiles are applied unless the desired direction is notes on the customer purchase order. Loewenstein reserves the right to reject textiles we deem unsuitable for application on our products.

GUARANTEE

Although every effort is made to select covering materials for wearability as well as appeal, we CANNOT guarantee covers for wearability or colorfastness. We can extend only that guarantee which the supplier extends to us.

COM (CUSTOMER'S OWN MATERIAL) & GRADED-IN TEXTILE POLICY

Loewenstein will evaluate the fabric to determine if it is possible to use this type of fabric on our furniture, but this does not warrant or determine the performance of the fabric. Any warranty claims for these upholstery materials will fall to the original vendor of the fabric, not Loewenstein. With a broad spectrum of harsh cleaning agents used by facilities, Loewenstein recommends that the owner test each fabric selection with their specific cleaning methods before ordering.

COM/COL ORDERING INSTRUCTIONS

1. Send 4" x 4" swatch for approval to: OFS Brands, Attn: Customer Service, 1204 East 6th St., Huntingburg, IN 47542
2. Send a swatch along with the order to: OFS Brands, Attn: Customer Service, 1204 East 6th St., Huntingburg, IN 47542. This sample is used to verify that the correct fabric is received. It is not used for application approval.
3. Specify the COM or COL supplier's company name, pattern, color and number.
4. The COM or COL supplier must include the dealer name and purchase order number on all packing lists.
5. Include application instructions for striped, plaid, patterned or unusually designed fabrics (i.e. direction of stripes) and which face to use on reversible fabrics.
6. Ship COM or COL material to: OFS Brands Plant 3, Attn: COM Department, 105 West 10th Street, Huntingburg, IN 47542

COM and COL orders will be scheduled for production only upon receipt of production yardage. In the absence of a representative sample sent with the purchase order or application instructions, Loewenstein will apply the fabric in what it determines to be the best manner and cannot be held responsible after upholstering. **Excess COM/COL materials will be discarded at the discretion of Loewenstein unless otherwise instructed by the customer at the time the order is placed.**

COM YARDAGE REQUIREMENTS

Yardage requirements listed in our price list are based on 54" wide. We can take no responsibility for tailoring, wearability or application of COM covers. Loewenstein is not held responsible for receipt of defective fabrics, as we apply all COM as first quality goods. At no additional charge, Loewenstein will pre-approve any COM at the customer's request. The additional yardages are based on 54" wide goods. Please contact Customer Service if goods are less than 54" wide. Though every effort has been made to estimate excess yardage required for stripes and matches, Loewenstein takes NO responsibility where additional materials must be ordered.

Repeat	Railroaded (RR)	Right Way (RW)	2-Way
1/4"-5"	Add 10%	Add 15%	Add 15%
6"-9"	Add 15%	Add 18%	Add 20%
10"-13"	Add 20%	Add 25%	Add 30%
14"-20"	Add 25%	Add 30%	Add 35%
21"-27"	Add 30%	Add 35%	Add 40%
28"-34"	Add 35%	Add 40%	Add 45%

COM APPLICATION

Loewenstein will match all fabrics that require matching such as plaids, stripes or prints. Unless otherwise noted on the customer's purchase order, Loewenstein will apply textiles to upholstered items in the manner which we deem to be most appealing. Loewenstein takes no responsibility for the direction in which textiles are applied unless the desired direction is noted on the customer purchase order. Loewenstein reserves the right to reject textiles we deem unsuitable for application on our products.

COM FIRE RETARDANT PRODUCTS

OFS Brands assumes no responsibility for the fire retardancy of any COM/COL. Customers are solely responsible for making sure that their COM/COL complies with all applicable codes and regulations.

COL (CUSTOMER'S OWN LEATHER)

COL requirements are based on an average hide size of 50-55 square feet. Contact Customer Service for requirements on sizes different from this. Square footage requirements are based on usable footage, the shape of the hide and usable footage may require us to request more leather after COL is received. Leather is a natural product and variation in texture is a quality belonging exclusively to high grade, full top grain leathers. Due to the variation in thickness, OFS Brands recommends sending a 4" x 4" swatch for approval. OFS Brands approval signifies only that such materials can be applied to products for which they are intended. Approval does not constitute any responsibility nor any warranty on the part of OFS Brands as to the appearance, behavior or durability of the COL.

Note: Calf hide requirements will vary based on the chair model selected. Please contact the sales office for pattern adaptability confirmation and square footage requirements prior to placing an order.

veneers and finishes

FINISH



The patented Euroluxe® finish is a chemically re-engineered Urethane clear coat that preserves the beautiful depth and clarity of OFS Brands' finishes, but allows for much greater performance with chemical and scratch resistance, as well as the complete elimination of dangerous formaldehyde emissions. The Euroluxe® finish system achieves indoor air quality standards set by LEED and BIFMA furniture emission standards and allows all products to achieve SCS Global Services' Indoor Advantage Gold Certification.

HARDWOOD SPECIES

Loewenstein utilizes Maple or European Beech primarily to manufacture most solid hardwood chair frames and tables. The wood species is noted with each model. Loewenstein reserves the right to change wood species for improved construction and method of manufacturing.

NOTE: Wood finish names on are a description of finish color ONLY and do not indicate the wood species of a chair frame or table to which they will be applied.

CUSTOM FINISH COLOR

Custom finish matching is available for special requirements. Loewenstein must be provided with a suitable 8" x 10" or larger finish sample. However, custom finishes can be developed to meet specific needs. There will be a \$300 net upcharge per order for new custom finishes (waived on projects of \$100,000 net price or more). Custom finish upcharge for repeat or additional orders will be \$150 per order, even when the upcharge was waived on the original project. Custom finish matches are valid for 12 months from sample date. After this time period, custom finishes must be rematched and reapproved for use.

FINISH DISCLAIMER

Some desktop accessories with plastic feet can penetrate or burn the finish. This is not a defect in the finish. Wood is a natural product and minor variations in wood color, grain and texture may be visible even though the pieces are finished at the same time. Also, light finishes when exposed to ultraviolet rays may darken and change color. These are not defects in finish, and merchandise cannot be replaced because of these natural variations.

HPL, TFL & 3DL

High Pressure Laminate (HPL)

HPL is produced by saturating multiple layers of kraft paper with phenolic resin. A layer of printed décor paper is placed on top of the kraft paper before pressing and is then fused together under heat and pressure. HPL is laminated to a panel and then attached to a substrate. Due to its durability, HPL is a common choice for horizontal surfaces. It also performs well in horizontal and vertical applications for high traffic settings such as office furniture, healthcare, casework, commercial, healthcare and educational facilities.

Thermally Fused Laminate (TFL)

TFL is made by fusing a resin-impregnated sheet of décor paper directly to a substrate, the resulting panel is ready for finishing. Heat and pressure activate the resin in the saturated TFL sheet creating a cross-linked bond with the substrate, which effectively seals it. Due to the performance, design flexibility and cost advantages, TFL offers an excellent option for designers and specifiers. TFL is a durable choice for office furniture, healthcare, casework, commercial, healthcare and educational facilities.

ALL STANDARD EUROLUXE VENEERS

CHERRY

- **LIGHT CHERRY [MLC]**
Quartered or Flat Grain Pattern
- **MOCHA CHERRY [MMC]**
Quartered or Flat Grain Pattern
- **QUARTERED ESPRESSO CHERRY [QEC]**
Quartered Grain Pattern

WALNUT

- **BURNISHED [BUW]**
Quartered or Flat Grain Pattern
- **DESERT [DST]**
Quartered Grain Pattern
- **EBONY [EBY]**
Quartered or Flat Grain Pattern
- **ENGLISH WALNUT [MGW]**
Quartered Grain Pattern
- **NATURAL WALNUT [MNW]**
Quartered Grain Pattern
- **SABLE WALNUT [MSW]**
Quartered or Flat Grain Pattern
- **VINTAGE MAHOGANY / WALNUT [MVW]**
Quartered or Flat Grain Pattern

MAPLE

- **BLONDE MAPLE [MBM]**
Quartered or Flat Grain Pattern
- **HONEY MAPLE [MHM]**
Quartered or Flat Grain Pattern

OAK

- **CLEAR OAK [MRO]**
Quartered Grain Pattern
- **ESPRESSO OAK [MSO]**
Quartered Grain Pattern
- **OSLO [OSL]**
Quartered Grain Pattern
- **PECAN [PCO]**
Quartered Grain Pattern
- **STEEL GREY OAK [MGO]**
Quartered Grain Pattern

FABRIC PARTNERS

- **ARC-COM**
www.arc-com.com
- **ARCHITEX**
www.architex-ljh.com
- **CAMIRA**
www.camirafabrics.com
- **CARNEGIE**
www.carnegiefabrics.com
- **DESIGNTEX**
www.designtex.com
- **GREEN HIDES**
www.greenhides.com
- **HELVETIA LEATHER**
www.helvetialeather.com
- **MAHARAM**
www.maharam.com
- **MAYER FABRICS**
www.mayerfabrics.com
- **MOMENTUM**
www.themomgroup.com
- **STINSON**
www.cfstinson.com
- **ULTRAFABRICS**
www.ultrafabricsllc.com

WOOD CARE

Careful craftsmanship combined with our Euroluxe finish makes your new Loewenstein wood furniture incredibly durable, and with proper care your furniture will provide beauty and convenience for years.

All Loewenstein products undergo rigid color-match procedures to ensure the best in color consistency.

- Dust frequently using a soft, damp, clean cloth, wiping with the grain.
- Remove liquid spills immediately, using a blotting rather than wiping motion.
- To clean, use a glass cleaner formulated with ammonia. Apply a small amount to a soft dry cloth and wipe in the direction of the grain. Dry with a soft cloth. Do not use furniture polish containing oil or silicone.
- Avoid prolonged exposure to direct sunlight, high humidity, extreme heat or cold and moisture.

LAMINATE CARE

- Avoid prolonged exposure to direct sunlight, high humidity, extreme heat or cold and moisture.
- Dust frequently with a soft, damp, clean cloth or mild detergent solution. Avoid using chemical or abrasive cleaning compounds.
- To avoid build up of cleaning agents, rinse the laminate surface with warm water and wipe with a clean damp cloth.

SEATING CARE

- Dust exposed wood parts frequently using a soft, damp, clean cloth, wiping with the grain.
- To clean wood, use a glass cleaner formulated with ammonia. Apply a small amount to a soft dry cloth and wipe in the direction of the grain. Dry with a soft cloth. Do not use furniture polish containing oil or silicone.
- To clean leather and vinyl upholstery, use a warm, damp cloth to restore a bright finish. For stubborn stains, use a moisturizing soap. Remove lather with a damp cloth, but do not rinse. Buff with a dry cloth.
- For fabric upholstery, use a damp cloth to wipe up spills. For tougher stains, contact your local Loewenstein dealer for cleaning instructions.
- Avoid prolonged exposure to direct sunlight, high humidity, extreme heat or cold and moisture.
- The components of your Loewenstein chair, such as controls, casters and understructure, require "common sense" care and cleaning as necessary.
- Activate chair mechanisms periodically to ensure proper function of moving parts.

CORIAN SOLID SURFACE CARE

- Washing with soap and water is usually sufficient to remove surface dirt or stains.
- Ammonia based liquid cleaner (not window cleaner) may also be used. Always rinse surface thoroughly and wipe dry.
- Drying is an important step, preventing a build-up of soap film or cleaning residue, which can create the appearance of light scratches over time.
- Stubborn soap film or cleaning residue build-up in Corian® is easily removed with abrasive cleanser and a white Scotch-Brite® pad or a sponge.
- For darker colors, a polish may be used to enhance the shine. For areas where there may be food contact, always use a polish formulated for food contact areas, such as Countertop Magic®. Where food contact is not a possibility, a simple furniture polish may be used. Always follow the manufacturer's instructions for using the polish and for safety concerns.

QUICKSHIP

PLEASE REFERENCE OUR QUICKSHIP PRICEBOOK FOR A COMPLETE LISTING OF AVAILABLE PRODUCT OFFERED ON OUR QUICKSHIP PROGRAM.



ENVIRONMENTAL ATTRIBUTES



The patented **Euroluxe® finish** is a chemically re-engineered Urethane clear coat that preserves the depth and clarity of OFS Brands finishes and achieves SCS Global Services' Indoor Advantage Gold Certification.



All OFS Brands products have achieved **SCS Indoor Advantage Gold Certification** from SCS Global Services. Indoor Advantage Gold certification is SCS Global Services' highest level of indoor air quality performance for furniture.

The certification assures that furniture products support a healthy indoor environment by meeting strict chemical emission limits for volatile organic compounds (VOCs). To be certified, products must be tested by independent labs for compliance with the ANSI/BIFMA X7.1, and either ANSI/BIFMA e.3 or CDPH/EHLB Standard Method V1-1 for VOC emissions of concerns.



level® is the multi-attribute, sustainability standard and third-party certification program for the furniture industry. It has been created to deliver the most open and transparent means of evaluating and communicating the environmental and social impacts of furniture products in the built environment. Taking into account a company's social actions, energy usage, material selection and human and ecosystem health impacts, level addresses how a product is sustainable from multiple perspectives. With level, customers can make informed choices about commercial furniture that exceed single attribute ecocertifications. The level brand identifies that a product has been vetted by an independent third party certifier and its numeric marking 1, 2, or 3 indicates what threshold of certification it has achieved. Manufacturers—big and small—now have a methodology to present the environmental characteristics in a clear, easily understood manner with a vernacular that gives end users the ability to make an "apples to apples" comparison.



SCS Global Services [**SCS**] has been providing global leadership in third-party quality, environmental and sustainability verification, certification, auditing, testing, and standards development for three decades. Its programs span a cross-section of industries, recognizing achievements in green building, product manufacturing, food and agriculture, forestry, power generation retail, and more. SCS is accredited to provide services under a wide range of nationally and internationally recognized certification programs. Consistent with its mission, SCS is a chartered benefit corporation and Certified B Corp™, reflecting its commitment to socially and environmentally responsible business practices.



The FSC® standards [**Forest Stewardship Council®**] represent the world's strongest system for guiding forest management toward sustainable outcomes. us.fsc.org FSC certified products are manufactured with material that comes from managed forests that are traceable from the time the logs are cut to the time the final project is installed and are recorded by way of a COC or chain of custody claim on all invoices. The demand for certified forest products has grown significantly in recent years. OFS Brands' goal to act as a responsible steward of the environment encouraged us to pursue our FSC Chain of Custody [COC] certification which would provide our customers (Dealer, A&D Community and End-users) the added reassurance they've done their part to be earth friendly in their product purchase and enable them to substantiate the LEED [**Leadership in Energy and Environmental Design**] Materials & Resources Credits for certified wood, in which the intent is to encourage environmentally responsible forest management. FSC certification is optional on many, but not all, OFS Brands' product lines. Please contact OFS Brands Customer Service for information in regards to which of our product lines are available as FSC certified, and what the necessary procedures are for ordering FSC certified products from OFS Brands.



OFS Brands' company-owned transportation company, Styline Logistics, is **SmartWay**-certified. SmartWay is one of U.S Environmental Protection Agency's [**EPA**] clean air programs that uses voluntary, rather than regulatory methods, to achieve air quality benefits. SmartWay's focus is in the transportation sector, and encompasses products and services associated with fuel-consuming engines.



The "**Premium Indiana Forest Products**" brand tells everyone that there is an abundant, sustainable supply of the finest Indiana hardwoods to meet consumer demand. It also tells them that Indiana's forests are well-managed, legally-harvested and environmentally responsible. The logo is reflective of the wood itself. Indiana hardwoods display a depth that defies imagination.

PRODUCT REFERENCE | EASY MODIFICATION LIST

mod#	modification detail	list price
MOD#3	Move or Add Grommets (customer to specify location)	\$61 Each
MOD#11	Seating with 2 Different Fabrics Two Same Grade Fabrics = Next Highest Grade Two Different Grade Fabrics = Higher of the Two Three Different Grade Fabrics = Highest of the Three <i>Note: Contrasting welt only available in a single fabric. Two-toned welt is not available. (two-tone diagram required from customer at time of ordering - contact customer service)</i>	
MOD#16	Laser Logo Burn In	ONE TIME SET UP FEE NET \$125 + NET \$20 Each

Liability Clause:

This pricing structure represents the more commonly requested product modifications. Although these modifications can be applied to the vast majority of products listed in our price books, some modifications cannot be applied to products with non-standard design features. Please contact your Customer Service Representative if you require assistance.

How to Order:


Example

<u>Qty</u>	<u>MOD#</u>	<u>Model Number</u>	<u>Modification Detail</u>	<u>Options</u>	<u>Price</u>
1	MOD#3	206-1	Add grommet	AIS - MNW	\$1744 + \$61 = \$1805

SILLS WITH ARMS STANDARD FEATURES

- Upholstered Seat, Back and Arms
- Available With or Without Tufted Back
- Loose Seat Cushion
- Exposed Wood Tapered Legs


LOUNGE CHAIR



w	outside d	h	sw	seat sd	sh	arm height	weight lbs.	cubic feet
34	30	30	23.5	22.5	18.5	22	81	27

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
10910	5	100	1,594	1,688	1,759	1,876	2,111	2,346	2,581	2,817	3,052	3,287	3,522	3,757	3,992	4,227	4,462	2,367	2,642	2,983


LOVESEAT



w	outside d	h	sw	seat sd	sh	arm height	weight lbs.	cubic feet
52	30	30	42	22.5	18.5	22	80	44

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
10920	6	120	1,851	1,964	2,048	2,190	2,472	2,754	3,036	3,318	3,600	3,882	4,165	4,447	4,729	5,011	5,293	2,773	3,103	3,512

SOFA



w	outside d	h	sw	seat sd	sh	arm height	weight lbs.	cubic feet
76	30	30	66	22.5	18.5	22	139	58

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
10930	8.5	170	2,366	2,526	2,646	2,846	3,245	3,645	4,045	4,444	4,844	5,244	5,644	6,043	6,443	6,843	7,242	3,661	4,128	4,708

OPTIONS

Finish	Tufting	Fabric
MLC DST MSW MHM OSL MMC EBV MVW MRO PCO GEC MGW MBM MSO MGO BUW MNW	A7G Non-Tufted A7H Tufted	Grade, Vendor, Pattern, Color NOTE: Two-toning of fabrics is available, see page 14 for information and pricing. Contact customer service for two-tone diagram and COM/COL yardages.

HOW TO ORDER

SPECIFY: Finish | tufting | textile grade, vendor, pattern and color. See pages 5-14 for information and options on CAL133, upholstery applications, designator finish name and ordering details.

MODEL NUMBER


10910

Finish	Tufting	Fabric
MLC	A7H	Grade 4, Momentum, Hue, Smoke

SILLS ARMLESS STANDARD FEATURES

- Upholstered Seat, Back and Arms
- Available With or Without Tufted Back
- Loose Seat Cushion
- Exposed Wood Tapered Legs


LOVESEAT



w	outside d	h	sw	seat sd	sh	arm height	weight lbs.	cubic feet
44	30	30	42	22.5	18.5	n/a	80	44

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
10920-AL	5	100	1,536	1,630	1,701	1,818	2,053	2,288	2,523	2,759	2,994	3,229	3,464	3,699	3,934	4,169	4,404	2,309	2,584	2,925


SOFA



w	outside d	h	sw	seat sd	sh	arm height	weight lbs.	cubic feet
68	30	30	66	22.5	18.5	n/a	111	58

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
10930-AL	8	160	2,067	2,217	2,330	2,518	2,895	3,271	3,647	4,023	4,399	4,776	5,152	5,528	5,904	6,280	6,656	3,288	3,727	4,273

BENCH



w	outside d	h	weight lbs.	cubic feet
44.5	22.5	17.5	50	18

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
10940	2.5	50	1,232	1,279	1,314	1,373	1,491	1,608	1,726	1,843	1,961	2,078	2,196	2,314	2,431	2,549	2,666	1,633	1,770	1,941

OPTIONS

Finish	Tufting	Fabric
MLC DST MSW MHM OSL MMC EBV MVW MRO PCO QEC MGW MBM MSO MGO BUW MNW	A7G Non-Tufted A7H Tufted (not available on 10940)	Grade, Vendor, Pattern, Color NOTE: Two-toning of fabrics is available, see page 14 for information and pricing. Contact customer service for two-tone diagram and COM/COL yardages.

HOW TO ORDER

SPECIFY: Finish | tufting | textile grade, vendor, pattern and color. See pages 5-14 for information and options on CAL133, upholstery applications, designator finish name and ordering details.

MODEL NUMBER

10920-AL

Finish	Tufting	Fabric
MLC	A7H	Grade 4, Momentum, Hue, Smoke